

References

- Adam, E.K. and Chase-Lansdale, P.L. (2002), 'Home sweet home(s): parental separations, residential moves, and adjustment problems in low-income adolescent girls', *Developmental Psychology*, **38**, 792.
- Addo, J., Smeeth, L. and Leon, D.A. (2007), 'Hypertension in sub-Saharan Africa: a systematic review', *Hypertension*, **50**, 1012–18.
- Alker, H.S. (1969), 'A typology of ecological fallacies', in M. Dogan and S. Rokkan (eds), *Quantitative Ecological Analysis*, Cambridge, MA: MIT Press.
- Allender, S. and Rayner, M. (2007), 'The burden of overweight and obesity-related ill health in the UK', *Obesity Reviews*, **8**, 467–73.
- Allender, S., Foster, C., Scarborough, P. and Rayner, M. (2007), 'The burden of physical activity-related ill health in the UK', *Journal of Epidemiology and Community Health*, **61**, 344–8.
- Allman-Farinelli, M.A., Chey, T., Merom, D., Bowles, H. and Bauman, A.E. (2009), 'The effects of age, birth cohort and survey period on leisure-time physical activity by Australian adults: 1990–2005', *British Journal of Nutrition*, **101**, 609–17.
- Alonso, W. (1971), 'The economics of urban size', *Regional Science Association Papers*, **26**, 68–83.
- Anderson, H.R. and Cook, D.G. (1997), 'Passive smoking and sudden infant death syndrome: review of the epidemiological evidence', *Thorax*, **52**, 1003–09.
- Aneshensel, C.S., Wight, R.G., Miller-Martinez, D., Botticello, A.L., Karlamangla, A.S. and Seeman, T.E. (2007), 'Urban neighborhoods and depressive symptoms among older adults', *Journals of Gerontology, Series B: Psychological Sciences and Social Sciences*, **62**, S52–9.
- Appleyard, D. and Lintell, M. (1972), 'The environmental quality of city streets', *Journal of the American Institute of Planners*, **38**, 84–101.
- Araya, R., Montgomery, A., Rojas, G., Fritsch, R., Solis, J., Signorelli, A. and Lewis, G. (2007), 'Common mental disorders and the built environment in Santiago, Chile', *British Journal of Psychiatry*, **190**, 394–401.
- Auchincloss, A.H. and Diez Roux, A.V. (2008), 'A new tool for epidemiology: the usefulness of dynamic-agent models in understanding place effects on health', *American Journal of Epidemiology*, **168**, 1–8.

- Aylin, P., Morris, S., Wakefield, J., Grossinho, A., Jarup, L. and Elliott, P. (2001), 'Temperature, housing, deprivation and their relationship to excess winter mortality in Great Britain, 1986–1996', *International Journal of Epidemiology*, **30**, 1100–1108.
- Babisch, W. (2000), 'Traffic noise and cardiovascular disease: epidemiological review and synthesis', *Noise and Health*, **2**, 9–32.
- Babisch, W., Ising, H., Gallacher, J.E.J., Elwood, P.C., Sweetnam, P.M., Yarnell, J.W.G., Bainton, D. and Baker, I.A. (1990), 'Traffic noise, work noise and cardiovascular risk factors: the Caerphilly and Speedwell collaborative heart disease studies', *Environment International*, **16**, 425–35.
- Babisch, W., Ising, H., Gallacher, J.E.J., Sweetnam, P.M. and Elwood, P.C. (1999), 'Traffic noise and cardiovascular risk: the Caerphilly and Speedwell studies, third phase – 10-year follow up', *Archives of Environmental Health*, **54**, 210–16.
- Bafna, S. (2003), 'Space syntax: a brief introduction to its logic and analytical techniques', *Environment and Behavior*, **35**, 17–29.
- Bairoch, P. (1988), *Cities and Economic Development: From the Dawn of History to the Present*, Chicago: University of Chicago Press.
- Baker, M., McNicholas, A., Garrett, N., Jones, N., Stewart, J., Koberstein, V. and Lennon, D. (2000), 'Household crowding a major risk factor for epidemic meningococcal disease in Auckland children', *Pediatric Infectious Disease Journal*, **19**, 983–90.
- Balfour, J.L. and Kaplan, G.J. (2002), 'Neighborhood environment and loss of physical function in older adults: evidence from the Alameda County Study', *American Journal of Epidemiology*, **155**, 507–15.
- Ball, K., Lamb, K., Travaglini, N. and Ellaway, A. (2012), 'Street connectivity and obesity in Glasgow, Scotland: impact of age, sex and socioeconomic position', *Health and Place*, **18**, 1307–13.
- Bandyopadhyay, A. and Merchant, A.N. (2006), 'Space syntax analysis of colonial houses in India', *Environment and Planning B: Planning and Design*, **33**, 923–42.
- Baran, P.K., Rodriguez, D.A. and Khattak, A.J. (2008), 'Space syntax and walking in a New Urbanist and suburban neighbourhoods', *Journal of Urban Design*, **13**, 5–28.
- Barker, D.J.P. (1994), *Mothers, Babies, and Disease in Later Life*, London: BMJ Publishing Group.
- Bartlett, S. (1998), 'Does inadequate housing perpetuate children's poverty?', *Childhood*, **5**, 403–20.
- Barton, H. (2009), 'Land use planning and health and well-being', *Land Use Policy*, **26**, S115–23.
- Barton, H. and Tsourou, C. (2000), *Healthy Urban Planning: A WHO Guide to Planning for People*, London: Spon Press.

- Barton, H., Grant, M., Mitcham, C. and Tsourou, C. (2009), 'Healthy urban planning in European cities', *Health Promotion International*, **24**, i91–9.
- Barton, J. and Pretty, J. (2010), 'What is the best dose of nature and green exercise for improving mental health? A multi-study analysis', *Environmental Science and Technology*, **44**, 3947–55.
- Bassett, D.R., Jr, Pucher, J., Buehler, R., Thompson, D.L. and Crouter, S.E. (2008), 'Walking, cycling, and obesity rates in Europe, North America and Australia', *Journal of Physical Activity and Health*, **5**, 795–814.
- Bassuk, S.S., Glass, T.A. and Berkman, L.F. (1999), 'Social disengagement and incident cognitive decline in community-dwelling elderly persons', *Annals of Internal Medicine*, **131**, 165.
- Basu, R. and Samet, J.M. (1999), 'A review of the epidemiological evidence on health effects of nitrogen dioxide exposure from gas stoves', *Journal of Environmental Medicine*, **1**, 173–87.
- Bates, A. (2006), 'Methodology used for producing ONS's small area population estimates', *Population Trends*, **125**, 30–36.
- Baum, A. and Davis, G.E. (1980), 'Reducing the stress of high-density living: an architectural intervention', *Journal of Personality and Social Psychology*, **38**, 471–81.
- Baum, A. and Valins, S. (1979), 'Crowding and the regulation of social contact', in L. Berkowitz (ed.), *Advances in Experimental Social Psychology*, vol. 12, New York: Academic Press.
- Baum, F. and Palmer, C. (2002), "'Opportunity structures": urban landscape, social capital and health promotion in Australia', *Health Promotion International*, **17**, 351–61.
- Baum, F., Bush, R.A., Modra, C.C., Murray, C.J., Cox, E.M., Alexander, K.M. and Potter, R.C. (2000), 'Epidemiology of participation: an Australian community study', *Journal of Epidemiology and Community Health*, **54**, 414–23.
- Bauman, A., Ford, I. and Armstrong, T. (2001), *Trends in Population Levels of Reported Physical Activity in Australia, 1997, 1999 and 2000*, Canberra: Australian Sports Commission.
- Bean, J.F., Vora, A. and Frontera, W.R. (2004), 'Benefits of exercise for community-dwelling older adults', *Archives of Physical Medicine and Rehabilitation*, **85**, S31–42.
- Beauchemin, K.M. and Hays, P. (1996), 'Sunny hospital rooms expedite recovery from severe and refractory depressions', *Journal of Affective Disorders*, **40**, 49–51.
- Bell, A.C., Ge, K. and Popkin, B.M. (2002), 'The road to obesity or the path to prevention: motorized transportation and obesity in China', *Obesity Research*, **10**, 277–83.

- Bell, M.L., Davis, D.L. and Fletcher, T. (2004), 'A retrospective assessment of mortality from the London smog episode of 1952: the role of influenza and pollution', *Environmental Health Perspectives*, **112**, 6–8.
- Bellinger, D., Leviton, A., Waternaux, C., Needleman, H. and Rabinowitz, M. (1988), 'Low-level lead exposure, social class, and infant development', *Neurotoxicology and Teratology*, **10**, 497–503.
- Ben-Shlomo, Y. and Kuh, D. (2002), 'A life course approach to chronic disease epidemiology: conceptual models, empirical challenges and interdisciplinary perspectives', *International Journal of Epidemiology*, **31**, 285–93.
- Berke, E.M., Gottlieb, L.M., Moudon, A.V. and Larson, E.B. (2007), 'Protective association between neighborhood walkability and depression in older men', *Journal of the American Geriatrics Society*, **55**, 526–33.
- Berke, E.M., Koepsell, T.D., Moudon, A.V., Hoskins, R.E. and Larson, E.B. (2007), 'Association of the built environment with physical activity and obesity in older persons', *American Journal of Public Health*, **97**, 486–92.
- Berkman, L.F. and Kawachi, I. (2000), 'A historical framework for social epidemiology', in L.F. Berkman and I. Kawachi (eds), *Social Epidemiology*, New York: Oxford University Press.
- Bernard, P., Charafeddine, R., Frohlich, K.L., Daniel, M., Kestens, Y. and Potvin, L. (2007), 'Health inequalities and place: a theoretical conception of neighbourhood', *Social Science and Medicine*, **65**, 1839–52.
- Bernstein, K.T., Galea, S., Ahern, J., Tracy, M. and Vlahov, D. (2007), 'The built environment and alcohol consumption in urban neighborhoods', *Drug and Alcohol Dependence*, **91**, 244.
- Besser, L.M. and Dannenberg, A.L. (2005), 'Walking to public transit: steps to help meet physical activity recommendations', *American Journal of Preventive Medicine*, **29**, 273–80.
- Bierman, C.W. (1996), 'Environmental control of asthma', *Immunology and Allergy Clinics of North America*, **16**, 753–64.
- Billings, C.G. and Howard, P. (1998), 'Damp housing and asthma', *Monaldi Archives of Chest Disease*, **53**, 43–9.
- Bithell, J. (2006), 'An application of density estimation to geographical epidemiology', *Statistics in Medicine*, **9**, 691–701.
- Björk, J., Albin, M., Grahn, P., Jacobsson, H., Ardö, J., Wadbro, J. and Ostergren, P.O. (2008), 'Recreational values of the natural environment in relation to neighbourhood satisfaction, physical activity, obesity and wellbeing', *Journal of Epidemiology and Community Health*, **62**.
- Black, J.L., Macinko, J., Dixon, L.B. and Fryer, J.G.E. (2010), 'Neighborhoods and obesity in New York City', *Health and Place*, **16**, 489–99.

- Blalock, H.M. and Wilken, P.H. (1979), *Intergroup Processes: A Micro–Macro Perspective*, New York: Free Press.
- Blane, D., Mitchell, R. and Bartley, M. (2000), ‘The “inverse housing law” and respiratory health’, *Journal of Epidemiology and Community Health*, **54**, 745–9.
- Blaxter, M. (1990), *Health and Lifestyles*, London: Tavistock/Routledge.
- Bloom, D.E., Canning, D. and Fink, G. (2008), ‘Urbanization and the wealth of nations’, *Science*, **319**, 772–5.
- BMA (2003), *Housing and Health: Building for the Future*, London: British Medical Association.
- BMJ* (1980), ‘Blows from the winter wind’, *British Medical Journal*, **280**, 137–8.
- Boehmer, T.K., Hoehner, C.M., Deshpande, A.D., Brennan Ramirez, L.K. and Brownson, R.C. (2007), ‘Perceived and observed neighborhood indicators of obesity among urban adults’, *International Journal of Obesity*, **31**, 968–77.
- Boer, R., Zheng, Y., Overton, A., Ridgeway, G.K. and Cohen, D.A. (2007), ‘Neighborhood design and walking trips in ten U.S. metropolitan areas’, *American Journal of Preventive Medicine*, **32**, 298–304.
- Booth, C. (1889), *Life and Labour of the People*, first series (i): *East, Central and South London*, London: Macmillan (republished 1969).
- Boyce, P.R. (1981), *Human Factors in Lighting*, London: Applied Science Publishers.
- Branfman, E., Cohen, B. and Trubek, D. (1974), ‘Measuring the invisible wall: land use controls and residential patterns of the poor’, in D. Listokin (ed.), *Land Use Controls: Present Problems and Future Reform*, New Brunswick, NJ: Center for Urban Policy Research, Rutgers University.
- Brauer, M., Hoek, G., Van Vliet, P., Meliefste, K., Fischer, P.H., Wijga, A., Koopman, L.P., Neijens, H.J., Gerritsen, J. and Kerkhof, M. (2002), ‘Air pollution from traffic and the development of respiratory infections and asthmatic and allergic symptoms in children’, *American Journal of Respiratory and Critical Care Medicine*, **166**, 1092–8.
- Briggs, R. and Leonard, W.A., IV (1977), ‘Mortality and ecological structure: a canonical approach’, *Social Science and Medicine*, **11**, 757–62.
- Britton, M., Fox, A.J., Goldblatt, P., Jones, G.R. and Rosato, M. (1990), *The Influence of Socio-economic and Environmental Factors on Geographic Variations in Mortality in OPCS*, London: HMSO.
- Brown, B.B. and Werner, C.M. (2008), ‘Before and after a new light rail stop: resident attitudes, travel behavior, and obesity’, *Journal of the American Planning Association*, **75**, 5–12.
- Brown, B.B., Yamada, I., Smith, K.R., Zick, C.D., Kowaleski-Jones,

- L. and Fan, J.X. (2009), 'Mixed land use and walkability: variations in land use measures and relationships with BMI, overweight, and obesity', *Health and Place*, **15**, 1130–41.
- Brown, S.C., Mason, C.A., Lombard, J.L., Martinez, F., Plater-Zyberk, E., Spokane, A.R., Newman, F.L., Pantin, H. and Szapocznik, J. (2009), 'The relationship of built environment to perceived social support and psychological distress in Hispanic elders: the role of "eyes on the street"', *Journals of Gerontology, Series B: Psychological Sciences and Social Sciences*, **64**, 234–46.
- Brown, W.J. (2012), 'MCMC estimation in MLwiN v2.25', Centre for Multilevel Modelling, University of Bristol.
- Brownson, R.C., Hoehner, C.M., Day, K., Forsyth, A. and Sallis, J.F. (2009), 'Measuring the built environment for physical activity: state of the science', *American Journal of Preventive Medicine*, **36**, S99–123.e12.
- Buliung, R.N. and Kanaroglou, P.S. (2006), 'Urban form and household activity – travel behavior', *Growth and Change*, **37**, 172–99.
- Burdette, H.L. and Whitaker, R.C. (2004), 'Neighborhood playgrounds, fast food restaurants, and crime: relationships to overweight in low-income preschool children', *Preventive Medicine*, **38**, 57–63.
- Burgoine, T., Alvanides, S. and Lake, A.A. (2011), 'Assessing the obesogenic environment of North East England', *Health and Place*, **17**, 738–47.
- Burr, M., St Leger, A. and Yarnell, J. (1981), 'Wheezing, dampness, and coal fires', *Journal of Public Health*, **3**, 205–09.
- Buzzelli, M. and Su, J. (2006), 'Multi-level modelling in health research: a caution and rejoinder on temporally mismatched data', *Social Science and Medicine*, **62**, 1215–18.
- Caballero, B. (2007), 'The global epidemic of obesity: an overview', *Epidemiologic Reviews*, **29**, 1–5.
- CABE (2000), *By Design – Urban Design in the Planning System: Towards Better Practice*, London: Commission for Architecture and the Built Environment and Department of the Environment, Transport and the Regions.
- CABE (2007), *Paved with Gold: The Real Value of Street Design*, London: Commission for Architecture and the Built Environment.
- Cal/EPA (1997), *Health Effects of Exposure to Environmental Tobacco Smoke*, Smoking and Tobacco Control Monograph 10, Sacramento: Office of Environmental Health Hazard Assessment, California Environmental Protection Agency.
- Canada Mortgage and Housing Corporation (1991), *Core Housing Need in Canada*, Ottawa: Canadian Government Printing.
- Canadian Institute for Health Information (2006), *How Healthy Are Rural Canadians? An Assessment of Their Health Status and Health*

- Determinants: Summary Report*, Ottawa: Canadian Institute for Health Information.
- Canguilhem, G. (1966), *Le normal et le pathologique*, Paris: Presses Universitaires de France.
- Caspi, A., Taylor, A., Moffitt, T.E. and Plomin, R. (2000), 'Neighborhood deprivation affects children's mental health: environmental risks identified in a genetic design', *Psychological Science*, **11**, 338–42.
- Cassel, J. (1976), 'The contribution of social epidemiology to host resistance', *American Journal of Epidemiology*, **104**, 107–23.
- Cassel, J., Patrick, R. and Jenkins, D. (1960), 'Epidemiological analysis of health implications of cultural change: a conceptual model', *Annals of the New York Academy of Sciences*, **84**, 938–49.
- Caughy, M.O., O'Campo, P.J. and Patterson, J. (2001), 'A brief observational measure for urban neighborhoods', *Health and Place*, **7**, 225–36.
- Cerin, E., Leslie, E., Toit, L., Owen, N. and Frank, L.D. (2007), 'Destinations that matter: associations with walking for transport', *Health and Place*, **13**, 713–24.
- Cerin, E., Macfarlane, D.J., Ko, H.H. and Chan, K.C.A. (2007), 'Measuring perceived neighbourhood walkability in Hong Kong', *Cities*, **24**, 209–17.
- Cerin, E., Leslie, E., Owen, N. and Bauman, A. (2008), 'An Australian version of the neighborhood environment walkability scale: validity evidence', *Measurement in Physical Education and Exercise Science*, **12**, 31–51.
- Cervero, R. (1988), 'Land-use mixing and suburban mobility', *Transportation Quarterly*, **42**, 429–46.
- Cervero, R. (1989), *America's Suburban Centers: The Land Use–Transportation Link*, Boston, MA: Unwin-Hyman.
- Cervero, R. (1996), 'Mixed land-uses and commuting: evidence from the American housing survey', *Transportation Research Part A: Policy and Practice*, **30**, 361–77.
- Cervero, R. and Duncan, M. (2003), 'Walking, bicycling, and urban landscapes: evidence from the San Francisco Bay Area', *American Journal of Public Health*, **93**, 1478–83.
- Cervero, R. and Kockelman, K. (1997), 'Travel demand and the 3Ds: density, diversity, and design', *Transportation Research Part D: Transport and Environment*, **2**, 199–219.
- Chadwick, E. (1842), *Report on the Sanitary Condition of the Labouring Population of Great Britain*, Edinburgh: Edinburgh University Press (reprinted 1965).
- Challen, A., King, D., Knapp, M. and McNally, S. (2008), *Foresight Mental Capital and Wellbeing Project: The Economic Consequences of*

- Specific Learning Difficulties and the Cost-Effectiveness of Prevention Strategies*, London: Government Office for Science.
- Chandola, T. (2001), 'The fear of crime and area differences in health', *Health and Place*, **7**, 105–16.
- Chiaradia, A., Hillier, B., Barnes, Y. and Schwander, C. (2009), 'Residential property value in London: space syntax spatial analysis', in *Proceedings of the 7th International Space Syntax Symposium*, Stockholm: Royal Institute of Technology (KTH).
- Chiaradia, A., Hillier, B., Schwander, C. and Wedderburn, M. (2012), 'Compositional and urban form effects on centres in Greater London', *Proceedings of the ICE – Urban Design and Planning*, **165**, 21–42.
- Chiaradia, A.J., Webster, C. and Crispin, C. (2012), 'sDNA: a software for spatial design network analysis, 1.7 specifications', available at: <http://www.cardiff.ac.uk/sdna/>.
- Chiesura, A. (2004), 'The role of urban parks for the sustainable city', *Landscape and Urban Planning*, **68**, 129–38.
- Clifton, K.J., Livi Smith, A.D. and Rodriguez, D. (2007), 'The development and testing of an audit for the pedestrian environment', *Landscape and Urban Planning*, **80**, 95–110.
- Coetzee, N., Yach, D. and Joubert, G. (1988), 'Crowding and alcohol abuse as risk factors for tuberculosis in the Mamre population: results of a case-control study', *South African Medical Journal*, **74**, 352–4.
- Cohen, D., Spear, M., Scribner, R., Kissenger, P., Mason, M. and Wildgen, J. (2000), "'Broken windows" and the risk of gonorrhoea', *American Journal of Public Health*, **90**, 230–36.
- Cohen, D.A., Mason, C., Bedimo, A., Scribner, R., Basolo, V. and Farley, T.A. (2003), 'Neighborhood physical conditions and health', *American Journal of Public Health*, **93**, 467–71.
- Cohen, S. (2004), 'Social relationships and health', *American Psychologist*, **59**, 676–84.
- Cohen, S., Evans, G.W., Stokols, D. and Krantz, D.S. (1986), *Behavior, Health, and Environmental Stress*, New York: Plenum Press.
- Collins, F.S. (2004), 'The case for a US prospective cohort study of genes and environment', *Nature*, **429**, 475–7.
- Collins, K.J. (1993), 'Cold and heat-related illnesses in the indoor environment', in R. Burridge and D. Ormandy (eds), *Unhealthy Housing: Research, Remedies and Reform*, New York: Spon Press.
- Collins, R. (2012), 'What makes UK Biobank special?', *Lancet*, **379**, 1173–4.
- Committee on Health Risks of Exposure to Radon (1999), *Health Effects of Exposure to Radon: BEIR VI*, Washington, DC: National Academies Press.

- Comptroller and Auditor General (2010), *Management of NHS Hospital Productivity*, London: National Audit Office.
- Cook, D.G. and Strachan, D.P. (1997), 'Health effects of passive smoking. 3. Parental smoking and prevalence of respiratory symptoms and asthma in school age children', *Thorax*, **52**, 1081–94.
- Corburn, J. (2004), 'Confronting the challenges in reconnecting urban planning and public health', *American Journal of Public Health*, **94**, 541–6.
- Corcoran, E., Nellemann, C., Baker, E., Bos, R., Osborn, D. and Savelli, H. (2010), *Sick Water? The Central Role of Wastewater Management in Sustainable Development*, Arendal, Norway: United Nations Environment Programme, UN-Habitat and GRID-Arendal.
- Craig, C.L., Brownson, R.C., Cragg, S.E. and Dunn, A.L. (2002), 'Exploring the effect of the environment on physical activity: a study examining walking to work', *American Journal of Preventive Medicine*, **23**, 36–43.
- Crucitti, P., Latora, V. and Porta, S. (2006a), 'Centrality in networks of urban streets', *Chaos*, **16**, 015113.
- Crucitti, P., Latora, V. and Porta, S. (2006b), 'Centrality measures in spatial networks of urban streets', *Physical Review E*, **73**, 036125.
- Cummins, S.K. and Jackson, R.J. (2001), 'The built environment and children's health', *Pediatric Clinics of North America*, **48**, 1241–52.
- Cunningham, G.O., Michael, Y.L., Farquhar, S.A. and Lapidus, J. (2005), 'Developing a reliable senior walking environmental assessment tool', *American Journal of Preventive Medicine*, **29**, 215–17.
- Curtis, C. and Scheurer, J. (2010), 'Planning for sustainable accessibility: developing tools to aid discussion and decision-making', *Progress in Planning*, **74**, 53–106.
- Curwen, M. (1991), 'Excess winter mortality: a British phenomenon?', *Health Trends*, **22**, 169–75.
- Cutumisu, N. and Spence, J.C. (2009), 'Exploring associations between urban environments and children's physical activity: making the case for space syntax', *Journal of Science and Medicine in Sport*, **12**, 537–8.
- Dadvand, P., de Nazelle, A., Figueras, F., Basagaña, X., Su, J., Amoly, E., Jerrett, M., Vrijheid, M., Sunyer, J. and Nieuwenhuijsen, M.J. (2012), 'Green space, health inequality and pregnancy', *Environment International*, **40**, 110–15.
- Dales, R., Liu, L., Wheeler, A.J. and Gilbert, N.L. (2008), 'Quality of indoor residential air and health', *Canadian Medical Association Journal*, **179**, 147–52.
- Dannenberg, A.L., Jackson, R.J., Frumkin, H., Schieber, R.A., Pratt, M., Kochtitzky, C. and Tilson, H.H. (2003), 'The impact of commu-

- nity design and land-use choices on public health: a scientific research agenda', *American Journal of Public Health*, **93**, 1500–1508.
- Darby, S.C. and Hill, D.C. (2003), 'Health effects of residential radon: a European perspective at the end of 2002', *Radiation Protection Dosimetry*, **104**, 321–9.
- Darby, S., Hill, D. and Doll, R. (2001), 'Radon: a likely carcinogen at all exposures', *Annals of Oncology*, **12**, 1341–51.
- Davey Smith, G., Shipley, M., Hole, D.J., Hart, C.L., Watt, G.C.M., Gillis, C.R., Marmot, M.G. and Hawthorne, V. (1995), 'Explaining male mortality differentials between the West of Scotland and the South of England', abstract, *Journal of Epidemiology and Community Health*, **49**, 541.
- Davey Smith, G., Hart, C., Watt, G., Hole, D. and Hawthorne, V. (1998), 'Individual social class, area-based deprivation, cardiovascular disease risk factors, and mortality: the Renfrew and Paisley study', *Journal of Epidemiology and Community Health*, **52**, 399–405.
- Dawber, T.R. (1980), *The Framingham Study: The Epidemiology of Coronary Heart Disease*, Cambridge, MA: Harvard University Press.
- Day, K., Boarnet, M., Alfonzo, M. and Forsyth, A. (2006), 'The Irvine–Minnesota Inventory to measure built environments: development', *American Journal of Preventive Medicine*, **30**, 144–52.
- Dedman, D., Gunnell, D., Smith, G.D. and Frankel, S. (2001), 'Childhood housing conditions and later mortality in the Boyd Orr cohort', *Journal of Epidemiology and Community Health*, **55**, 10–15.
- Delgard, O.S. and Tambs, K. (1997), 'Urban environment and mental health: a longitudinal study', *British Journal of Psychiatry*, **171**, 530–36.
- Dengel, D.R., Hearst, M.O., Harmon, J.H., Forsyth, A. and Lytle, L.A. (2009), 'Does the built environment relate to the metabolic syndrome in adolescents?', *Health and Place*, **15**, 946–51.
- Department of the Environment (1977a), *Inner Area Studies: Liverpool, Birmingham and Lambeth: Summaries of Consultant's Final Report*, London: HMSO.
- Department of the Environment (1977b), *Unequal City: Final Report of the Birmingham Inner Area Study*, London: HMSO.
- Department of the Environment (1977c), *White Paper: Policy for the Inner Cities*, Cmnd 6845, London: HMSO.
- Department of Health (2005), *Choosing Activity: A Physical Activity Action Plan*, Cm 6374, London: Department of Health.
- Department of Health (2008), *Healthy Weight, Healthy Lives: A Cross-Government Strategy for England*, London: Department of Health.
- Department of Health and Social Security (1980), *Inequalities in Health: Report of a Working Group Chaired by Sir Douglas Black*, London: DHSS.

- Diehr, P., Koepsell, T., Cheadle, A., Psaty, B.M., Wagner, E. and Curry, S. (1993), 'Do communities differ in health behaviors?', *Journal of Clinical Epidemiology*, **46**, 1141–9.
- Diez-Roux, A.V. (1998), 'Bringing context back into epidemiology: variables and fallacies in multilevel analysis', *American Journal of Public Health*, **88**, 216–22.
- Diez Roux, A.V. (2001), 'Investigating neighborhood and area effects on health', *American Journal of Public Health*, **91**, 1783–9.
- Diez Roux, A.V. (2002), 'Invited commentary: places, people, and health', *American Journal of Epidemiology*, **155**, 516–19.
- Diez Roux, A.V. (2004a), 'Estimating neighborhood health effects: the challenges of causal inference in a complex world', *Social Science and Medicine*, **58**, 1953–60.
- Diez Roux, A.V. (2004b), 'The study of group-level factors in epidemiology: rethinking variables, study designs, and analytical approaches', *Epidemiologic Reviews*, **26**, 104–11.
- Diez Roux, A.V. (2007), 'Integrating social and biologic factors in health research: a systems view', *Annals of Epidemiology*, **17**, 569–74.
- Diez-Roux, A.V., Nieto, F.J., Muntaner, C., Tyroler, H.A., Comstock, G.W., Shahar, E., Cooper, L.S., Watson, R.L. and Szklo, M. (1997), 'Neighborhood environments and coronary heart disease: a multilevel analysis', *American Journal of Epidemiology*, **146**, 48–63.
- Diez Roux, A.V., Merkin, S.S., Arnett, D., Chambless, L., Massing, M., Nieto, F.J., Sorlie, P., Szklo, M., Tyroler, H.A. and Watson, R.L. (2001), 'Neighborhood of residence and incidence of coronary heart disease', *New England Journal of Medicine*, **345**, 99–106.
- Diez Roux, A.V., Evenson, K.R., McGinn, A.P., Brown, D.G., Moore, L., Brines, S. and Jacobs, D.R., Jr (2007), 'Availability of recreational resources and physical activity in adults', *American Journal of Public Health*, **97**, 493–9.
- Doll, R. and Hill, A.B. (1950), 'Smoking and carcinoma of the lung: preliminary report', *British Medical Journal*, **2**, 739–48.
- Doll, R. and Hill, A.B. (1956), 'Lung cancer and other causes of death in relation to smoking', *British Medical Journal*, **2**, 1071–81.
- Doll, R. and Peto, R. (1981), *The Causes of Cancer: Quantitative Estimates of Avoidable Risks of Cancer in the United States Today*, Oxford: Oxford University Press.
- Doyle, J.T., Dawber, T.R., Kannel, W.B., Heslin, A.S. and Kahn, H.A. (1962), 'Cigarette smoking and coronary heart disease', *New England Journal of Medicine*, **266**, 796–801.
- Doyle, S., Kelly-Schwartz, A., Schlossberg, M. and Stockard, J. (2006), 'Active community environments and health: the relationship of walk-

- able and safe communities to individual health', *Journal of the American Planning Association*, **72**, 19–32.
- Drechsel, P., Scott, C.A., Raschid-Sally, L., Redwood, M. and Bahri, A. (2010), *Wastewater Irrigation and Health: Assessing and Mitigating Risk in Low-Income Countries*, London: Earthscan.
- Duckitt, J. (1983), 'Household crowding and psychological well-being in a South African coloured community', *Journal of Social Psychology*, **121**, 231–8.
- Duffy, J. (1990), *The Sanitarians: A History of American Public Health*, Chicago: University of Illinois Press.
- Duhl, L.J. and Sanchez, A.K. (1999), *Healthy Cities and the City Planning Process: A Background Document on the Links between Health and Urban Planning*, Copenhagen: World Health Organization.
- Duncan, C., Jones, K. and Moon, G. (1993), 'Do places matter? A multi-level analysis of regional variations in health-related behaviour in Britain', *Social Science and Medicine*, **37**, 725–33.
- Duncan, C., Jones, K. and Moon, G. (1995), 'Psychiatric morbidity: a multilevel approach to regional variations in the UK', *Journal of Epidemiology and Community Health*, **49**, 290–95.
- Duncan, C., Jones, K. and Moon, G. (1998), 'Context, composition and heterogeneity: using multilevel models in health research', *Social Science and Medicine*, **46**, 97–117.
- Duncan, M. and Mummery, K. (2005), 'Psychosocial and environmental factors associated with physical activity among city dwellers in regional Queensland', *Preventive Medicine*, **40**, 363–72.
- Dunstan, F., Weaver, N., Araya, R., Bell, T., Lannon, S., Lewis, G., Patterson, J., Thomas, H., Jones, P. and Palmer, S. (2005), 'An observation tool to assist with the assessment of urban residential environments', *Journal of Environmental Psychology*, **25**, 293–305.
- Eames, M., Ben-Shlomo, Y. and Marmot, M.G. (1993), 'Social deprivation and premature mortality: regional comparison across England', *British Medical Journal*, **307**, 1097–1102.
- Eastwood, P. (2010), *Statistics on Obesity, Physical Activity and Diet: England, 2010*, Leeds: NHS Information Centre, Lifestyles Statistics.
- Ebbeling, C.B., Pawlak, D.B. and Ludwig, D.S. (2002), 'Childhood obesity: public-health crisis, common sense cure', *Lancet*, **360**, 473–82.
- Echeverria, S.E., Diez-Roux, A.V. and Link, B.G. (2004), 'Reliability of self-reported neighborhood characteristics', *Journal of Urban Health*, **81**, 682–701.
- Editorial (2009), 'Editorial – what is health? The ability to adapt', *Lancet*, **373**, 781.

- Edwards, J.N., Edwards, P.K. and Booth, A. (1982), 'Housing type, stress, and family relations', *Social Forces*, **61**, 241–57.
- Edwards, R.D. (2008), 'Public transit, obesity, and medical costs: assessing the magnitudes', *Preventive Medicine*, **46**, 14–21.
- Ellaway, A. and Macintyre, S. (1998), 'Does housing tenure predict health in the UK because it exposes people to different levels of housing related hazards in the home or its surroundings?', *Health and Place*, **4**, 141–50.
- Ellaway, A., Macintyre, S. and Bonnefoy, X. (2005), 'Graffiti, greenery, and obesity in adults: secondary analysis of European cross sectional survey', *British Medical Journal*, **331**, 611–12.
- Elliott, S.J., Cole, D.C., Krueger, P., Voorberg, N. and Wakefield, S. (1999), 'The power of perception: health risk attributed to air pollution in an urban industrial neighbourhood', *Risk Analysis*, **19**, 621–34.
- Ellis, C.D., Lee, S.W. and Kweon, B.S. (2006), 'Retail land use, neighborhood satisfaction and the urban forest: an investigation into the moderating and mediating effects of trees and shrubs', *Landscape and Urban Planning*, **74**, 70–78.
- Elton, C. (1927), *Animal Ecology*, London: Sidgwick & Jackson.
- Elton, P. and Packer, J. (1986), 'A prospective randomised trial of the value of rehousing on the grounds of mental ill-health', *Journal of Chronic Diseases*, **39**, 221–7.
- Elwood, P.C. (1984), 'Caerphilly and Speedwell collaborative heart disease studies', *Journal of Epidemiology and Community Health*, **38**, 259–62.
- Emery, J., Crump, C. and Bors, P. (2003), 'Reliability and validity of two instruments designed to assess the walking and bicycling suitability of sidewalks and roads', *American Journal of Health Promotion*, **18**, 38–46.
- Engels, F. ([1845] 1987), *The Condition of the Working Class in England*, Harmondsworth: Penguin Books.
- Enström, R. and Netzell, O. (2008), 'Can space syntax help us in understanding the intraurban office rent pattern? Accessibility and rents in downtown Stockholm', *Journal of Real Estate Finance and Economics*, **36**, 289–305.
- Eurostat (1996), *The European Community Household Panel (ECHP): Survey Methodology and Implementation*, Luxembourg: Office for Official Publications of the European Union.
- Evans, A.S. (1976), 'Causation and disease: the Henle–Koch postulates revisited', *Yale Journal of Biology and Medicine*, **49**, 175–95.
- Evans, B., Crookes, L. and Coaffee, J. (2012), 'Obesity/fatness and the city: critical urban geographies', *Geography Compass*, **6**, 100–110.
- Evans, G.W. and Kantrowitz, E. (2002), 'Socioeconomic status and health: the potential role of environmental risk exposure', *Annual Review of Public Health*, **23**, 303–31.

- Evans, G.W. and Lepore, S.J. (1993), 'Household crowding and social support: a quasiexperimental analysis', *Journal of Personality and Social Psychology*, **65**, 308–16.
- Evans, G.W. and Maxwell, L. (1997), 'Chronic noise exposure and reading deficits: the mediating effects of language acquisition', *Environment and Behavior*, **29**, 638–56.
- Evans, G.W., Palsane, M.N., Lepore, S.J. and Martin, J. (1989), 'Residential density and psychological health: the mediating effects of social support', *Journal of Personality and Social Psychology*, **57**, 994.
- Evans, G.W., Hygge, S. and Bullinger, M. (1995), 'Chronic noise and psychological stress', *Psychological Science*, **6**, 333–9.
- Evans, G.W., Lepore, S.J. and Schroeder, A. (1996), 'The role of interior design elements in human responses to crowding', *Journal of Personality and Social Psychology*, **70**, 41–6.
- Evans, G.W., Wells, N.M., Chan, H.Y.E. and Saltzman, H. (2000), 'Housing quality and mental health', *Journal of Consulting and Clinical Psychology*, **68**, 526–30.
- Evans, G.W., Kantrowitz, E. and Eshelman, P. (2002), 'Housing quality and psychological well-being among the elderly population', *Journals of Gerontology, Series B: Psychological Sciences and Social Sciences*, **57**, P381–3.
- Evans, G.W., Lercher, P. and Kofler, W.W. (2002), 'Crowding and children's mental health: the role of house type', *Journal of Environmental Psychology*, **22**, 221–31.
- Evans, G.W., Wells, N.M. and Moch, A. (2003), 'Housing and mental health: a review of the evidence and a methodological and conceptual critique', *Journal of Social Issues*, **59**, 475–500.
- Evans, J., Hyndman, S., Stewart-Brown, S., Smith, D. and Petersen, S. (2000), 'An epidemiological study of the relative importance of damp housing in relation to adult health', *Journal of Epidemiology and Community Health*, **54**, 677–86.
- Ewing, R. and Cervero, R. (2001), 'Travel and the built environment: a synthesis', *Transportation Research Record: Journal of the Transportation Research Board*, **1780**, 87–114.
- Ewing, R. and Handy, S. (2009), 'Measuring the unmeasurable: urban design qualities related to walkability', *Journal of Urban Design*, **14**, 65–84.
- Ewing, R., Haliyur, P. and Page, G. (1994), 'Getting around a traditional city, a suburban PUD, and everything in-between', *Transportation Research Record*, **1466**, 53–62.
- Ewing, R., Pendall, R. and Chen, D. (2003), 'Measuring sprawl and its transportation impacts', *Transportation Research Record: Journal of the Transportation Research Board*, **1831**, 175–83.

- Ewing, R., Schmid, T., Killingsworth, R., Zlot, A. and Raudenbush, S. (2003), 'Relationship between urban sprawl and physical activity, obesity, and morbidity', *American Journal of Health Promotion*, **18**, 47–57.
- Ewing, R., Schroerer, W. and Greene, W. (2004), 'School location and student travel: analysis of factors affecting mode choice', *Transportation Research Record: Journal of the Transportation Research Board*, **1895**, 55–63.
- Ewing, R., Handy, S., Brownson, R.C., Clemente, O. and Winston, E. (2006), 'Identifying and measuring urban design qualities related to walkability', *Journal of Physical Activity and Health*, **3**, 223.
- Ewing, R., Greenwald, M.J., Zhang, M., Walters, J., Feldman, M., Cervero, R. and Thomas, J. (2009), *Measuring the Impact of Urban Form and Transit Access on Mixed Use Site Trip Generation Rates: Portland Pilot Study*, Washington, DC: Environmental Protection Agency.
- Ezzati, M. (2005), 'Indoor air pollution and health in developing countries', *Lancet*, **366**, 104–06.
- Fanning, D. (1967), 'Families in flats', *British Medical Journal*, **4**, 382–6.
- Faris, R.E.L. and Dunham, H.W. (1939), *Mental Disorders in Urban Areas: An Ecological Study of Schizophrenia and Other Psychoses*, New York: Hafner.
- Farr, W. (1885), *Vital Statistics: A Memorial Volume of Selections from the Reports and Writings of William Farr*, ed. N.A. Humphreys, London: Royal Sanitary Institute of Great Britain, pp.166–205 (reproduced in *Bulletin of World Health Organization*, 2000, **78** (1)).
- Federal Highway Administration (1994), *The National Bicycling and Walking Study: Transportation Choices for a Changing America*, Publication No. FWHA-PD-94-023, Washington, DC: US Department of Transportation.
- Feng, J., Glass, T.A., Curriero, F.C., Stewart, W.F. and Schwartz, B.S. (2010), 'The built environment and obesity: a systematic review of the epidemiologic evidence', *Health and Place*, **16**, 175–90.
- Festinger, L. (1963), *Social Pressures in Informal Groups: A Study of Human Factors in Housing*, Stanford, CA: Stanford University Press.
- Field, A., Witten, K., Robinson, E. and Pledger, M. (2004), 'Who gets to what? Access to community resources in two New Zealand cities', *Urban Policy and Research*, **22**, 189–205.
- Fisk, W.J. (2001), 'Estimates of potential nationwide productivity and health benefits from better indoor environments: an update', in J.D. Spengler, J.M. Samet and J.F. McCarthy (eds), *Indoor Air Quality Handbook*, New York: McGraw-Hill.
- Flegal, K.M., Graubard, B.I., Williamson, D.F. and Gail, M.H. (2007),

- 'Cause-specific excess deaths associated with underweight, overweight, and obesity', *Journal of the American Medical Association*, **298**, 2028–37.
- Flowerdew, R., Manley, D.J. and Sabel, C.E. (2008), 'Neighbourhood effects on health: does it matter where you draw the boundaries?', *Social Science and Medicine*, **66**, 1241–55.
- Fone, D.L. and Dunstan, F. (2006), 'Mental health, places and people: a multilevel analysis of economic inactivity and social deprivation', *Health and Place*, **12**, 332–44.
- Fone, D., Dunstan, F., White, J., Webster, C., Rodgers, S., Lee, S., Shiode, N., Orford, S., Weightman, A. and Brennan, I. (2012), 'Change in alcohol outlet density and alcohol-related harm to population health (CHALICE)', *BMC Public Health*, **12**, 428.
- Fonseca, W., Kirkwood, B.R., Victora, C.G., Fuchs, S., Flores, J. and Misago, C. (1996), 'Risk factors for childhood pneumonia among the urban poor in Fortaleza, Brazil: a case-control study', *Bulletin of the World Health Organization*, **74**, 199–208.
- Forsdahl, A. (1977), 'Are poor living conditions in childhood and adolescence an important risk factor for arteriosclerotic heart disease?', *British Journal of Preventive and Social Medicine*, **31**, 91–5.
- Forsyth, A., Hearst, M., Oakes, J.M. and Schmitz, K.H. (2008), 'Design and destinations: factors influencing walking and total physical activity', *Urban Studies*, **45**, 1973–96.
- Foster, C. and Hillsdon, M. (2004), 'Changing the environment to promote health-enhancing physical activity', *Journal of Sports Sciences*, **22**, 755–69.
- Fox, A.J. and Goldblatt, P.O. (1982), *Longitudinal Study: Socio-demographic Mortality Differentials: A First Report on Mortality in 1971–1975 (According to 1971 Census Characteristics, Based on Data Collected in the OPCS Longitudinal Study)*, London: HMSO.
- Fox, A.J., Jones, D.R. and Goldblatt, P.O. (1984), 'Approaches to studying the effect of socio-economic circumstances on geographic differences in mortality in England and Wales', *British Medical Bulletin*, **40**, 309–14.
- Frank, L. and Pivo, G. (1994), 'The impacts of mixed use and density on the utilization of three modes of travel: the single occupant vehicle, transit, and walking', *Transportation Research Record*, **1466**, 44–52.
- Frank, L.D., Engelke, P.O. and Schmid, T.L. (2003), *Health and Community Design: The Impact of the Built Environment on Physical Activity*, Washington, DC: Island Press.
- Frank, L.D., Andresen, M.A. and Schmid, T.L. (2004), 'Obesity relationships with community design, physical activity, and time spent in cars', *American Journal of Preventive Medicine*, **27**, 87–96.
- Frank, L.D., Sallis, J.F., Conway, T.L., Chapman, J.E., Saelens, B.E. and

- Bachman, W. (2006), 'Many pathways from land use to health: associations between neighborhood walkability and active transportation, body mass index, and air quality', *Journal of the American Planning Association*, **72**, 75–87.
- Frank, L., Kerr, J., Rosenberg, D. and King, A. (2010), 'Healthy aging and where you live: community design relationships with physical activity and body weight in older Americans', *Journal of Physical Activity and Health*, **7**, S82–90.
- Freeman, L.C. (1977), 'A set of measures of centrality based on betweenness', *Sociometry*, **40**, 35–41.
- Frost, W.H. (1941), *Papers of Wade Hampton Frost, M.D.: A Contribution to Epidemiological Method*, ed. K.F. Maxcy, New York: Commonwealth Fund.
- Frumkin, H. (2002), 'Urban sprawl and public health', *Public Health Reports*, **117**, 201.
- Frumkin, H., Frank, L.D. and Jackson, R. (2004), *The Public Health Impacts of Sprawl*, Washington, DC: Island Press.
- Fuller, T.D., Edwards, J.N., Vorakitphokatorn, S. and Sermsri, S. (1996), 'Chronic stress and psychological well-being: evidence from Thailand on household crowding', *Social Science and Medicine*, **42**, 265–80.
- Fullilove, M.T. and Fullilove, R.E., III (2000), 'What's housing got to do with it?', *American Journal of Public Health*, **90**, 183–4.
- Gabe, J. and Williams, P. (1987), 'Women, housing, and mental health', *International Journal of Health Services*, **17**, 667–79.
- Gabe, J. and Williams, P. (1993), 'Women, crowding and mental health', in R.O.D. Burrige (ed.), *Unhealthy Housing*, London: Chapman & Hall.
- Galdston, I. (ed.) (1949), *Social Medicine: Its Derivatives and Objectives*, New York Academy of Medicine, New York: Commonwealth Fund.
- Gale, C.R., Sayer, A.A., Cooper, C., Dennison, E.M., Starr, J.M., Whalley, L.J., Gallacher, J.E., Ben-Shlomo, Y., Kuh, D. and Hardy, R. (2011), 'Factors associated with symptoms of anxiety and depression in five cohorts of community-based older people: the HALCYon (Healthy Ageing across the Life Course) Programme', *Psychological Medicine*, **41**, 2057–73.
- Galea, S., Ahern, J., Rudenstine, S., Wallace, Z. and Vlahov, D. (2005), 'Urban built environment and depression: a multilevel analysis', *Journal of Epidemiology and Community Health*, **59**, 822–7.
- Galea, S., Freudenberg, N. and Vlahov, D. (2005), 'Cities and population health', *Social Science and Medicine*, **60**, 1017–33.
- Galea, S., Hall, C. and Kaplan, G.A. (2009), 'Social epidemiology and complex system dynamic modelling as applied to health behaviour and drug use research', *International Journal of Drug Policy*, **20**, 209–16.
- Galea, S., Riddle, M. and Kaplan, G.A. (2010), 'Causal thinking and

- complex system approaches in epidemiology', *International Journal of Epidemiology*, **39**, 97–106.
- Garden, F.L. and Jalaludin, B.B. (2009), 'Impact of urban sprawl on overweight, obesity, and physical activity in Sydney, Australia', *Journal of Urban Health*, **86**, 19–30.
- Gauvin, L., Richard, L., Craig, C.L., Spivock, M., Riva, M., Forster, M., Laforest, S., Laberge, S., Fournel, M.C. and Gagnon, H. (2005), 'From walkability to active living potential: an "ecometric" validation study', *American Journal of Preventive Medicine*, **28**, 126–33.
- Gemmell, I. (2001), 'Indoor heating, house conditions, and health', *Journal of Epidemiology and Community Health*, **55**, 928–9.
- Giddens, A. (1984), *The Constitution of Society*, Berkeley: University of California Press.
- Gil, J., Stutz, C. and Chiaradia, A. (2007), 'Confeego: tool set for spatial configuration studies', presented at 6th International Space Syntax Symposium, Istanbul, in A. Turner (ed.), *New Developments in Space Syntax Software*, Istanbul: ITU Faculty of Architecture, pp. 15–22.
- Gilbert, N. (2007), *Agent-Based Models*, Quantitative Applications in the Social Sciences, Thousand Oaks, CA: Sage.
- Giles-Corti, B. and King, A.C. (2009), 'Creating active environments across the life course: "thinking outside the square"', *British Journal of Sports Medicine*, **43**, 109–13.
- Giles-Corti, B., Macintyre, S., Clarkson, J.P., Pikora, T. and Donovan, R.J. (2003), 'Environmental and lifestyle factors associated with overweight and obesity in Perth, Australia', *American Journal of Health Promotion*, **18**, 93–102.
- Giles-Corti, B., Timperio, A., Cutt, H., Pikora, T.J., Bull, F.C.L., Knuiiman, M., Bulsara, M., Van Niel, K. and Shilton, T. (2006), 'Development of a reliable measure of walking within and outside the local neighborhood: RESIDE's Neighborhood Physical Activity Questionnaire', *Preventive Medicine*, **42**, 455–9.
- Gillis, A.R. (1974), 'Population density and social pathology: the case of building type, social allowance and juvenile delinquency', *Social Forces*, **53**, 306–14.
- Gillis, A. (1977), 'High-rise housing and psychological strain', *Journal of Health and Social Behavior*, **18**, 418–31.
- Ginns, S.E. and Gatrell, A.C. (1996), 'Respiratory health effects of industrial air pollution: a study in east Lancashire, UK', *Journal of Epidemiology and Community Health*, **50**, 631–5.
- Girman, J.R., Chang, Y.L., Hayward, S.B. and Liu, K.S. (1998), 'Causes of unintentional deaths from carbon monoxide poisonings in California', *Western Journal of Medicine*, **168**, 158–65.

- Glass, T.A. and Balfour, J.L. (eds) (2003), *Neighborhoods, Ageing, and Functional Limitations*, New York: Oxford University Press.
- Glass, T.A., De Leon, C.F.M., Bassuk, S.S. and Berkman, L.F. (2006), 'Social engagement and depressive symptoms in late life longitudinal findings', *Journal of Aging and Health*, **18**, 604–28.
- Glass, T.A., Rasmussen, M.D. and Schwartz, B.S. (2006), 'Neighborhoods and obesity in older adults: the Baltimore Memory Study', *American Journal of Preventive Medicine*, **31**, 455–63.
- GLLAMM (2010), 'Stata programs for estimating, predicting, simulating generalized linear latent and mixed models', available at: <http://www.gllamm.org>.
- Godish, T. (2000), *Organic Contaminants: Indoor Environmental Quality*, Boca Raton, FL: CRC Press.
- Goldberg, D. and Williams, P. (1988), *A User Guide to the General Health Questionnaire*, Windsor, UK: NEFR-Nelson.
- Goldberger, J., Wheeler, G.A. and Sydenstricker, E. (1920), 'A study of the relation of diet to pellagra incidence in seven textile-mill communities of South Carolina in 1916', *Public Health Reports*, **35**, 648–713.
- Gómez, L.F., Parra, D.C., Buchner, D., Brownson, R.C., Sarmiento, O.L., Pinzón, J.D., Ardila, M., Moreno, J., Serrato, M. and Lobelo, F. (2010), 'Built environment attributes and walking patterns among the elderly population in Bogotá', *American Journal of Preventive Medicine*, **38**, 592–9.
- Gómez-Jacinto, L. and Hombrados-Mendieta, I. (2002), 'Multiple effects of community and household crowding', *Journal of Environmental Psychology*, **22**, 233–46.
- Gordon, T. and Kannel, W. (1970), 'The Framingham, Massachusetts study – 20 years later', in I.I. Kessler and M.L. Levin (eds), *The Community as an Epidemiologic Laboratory: A Casebook of Community Studies*, Baltimore, MD: Johns Hopkins University Press.
- Gordon-Larsen, P., Nelson, M.C., Page, P. and Popkin, B.M. (2006), 'Inequality in the built environment underlies key health disparities in physical activity and obesity', *Pediatrics*, **117**, 417–24.
- Gove, W.R. and Hughes, M. (1979), 'Possible causes of the apparent sex differences in physical health: an empirical investigation', *American Sociological Review*, **44**, 126–46.
- Gove, W.R. and Hughes, M. (1983), *Overcrowding in the Household*, New York: Academic Press.
- Gove, W.R., Hughes, M. and Galle, O.R. (1979), 'Overcrowding in the home: an empirical investigation of its possible pathological consequences', *American Sociological Review*, **44**, 59–80.
- Graham, N.M.H. (1990), 'The epidemiology of acute respiratory infections

- in children and adults: a global perspective', *Epidemiologic Reviews*, **12**, 149–78.
- Grahn, P. and Stigsdotter, U.A. (2003), 'Landscape planning and stress', *Urban Forestry and Urban Greening*, **2**, 1–18.
- Graunt, J. (1662), *Natural and Political Observations Made upon the Bills of Mortality, London, England*, printed by T. Roycroft, reprinted 1939, Baltimore, MD: Johns Hopkins University Press.
- Greenberg, M., Popper, F., West, B. and Krueckeberg, D. (1994), 'Linking city planning and public health in the United States', *Journal of Planning Literature*, **8**, 235–9.
- Greenwood, M. (1935), *Epidemics and Crowd-Diseases: An Introduction to the Study of Epidemiology*, London: Williams & Norgate.
- Grinnell, J. (1917), 'Field tests of theories concerning distributional control', *American Naturalist*, **51**, 115–28.
- Guite, H.F., Clark, C. and Ackrill, G. (2006), 'The impact of the physical and urban environment on mental well-being', *Public Health*, **120**, 1117–26.
- Haan, M., Kaplan, G.A. and Camacho, T. (1987), 'Poverty and health: prospective evidence from the Alameda County study', *American Journal of Epidemiology*, **125**, 989–98.
- Hackshaw, A.K., Law, M.R. and Wald, N.J. (1997), 'The accumulated evidence on lung cancer and environmental tobacco smoke', *British Medical Journal*, **315**, 980–88.
- Haines, M.M., Stansfeld, S.A., Brentnall, S., Head, J., Berry, B., Jiggins, M. and Hygge, S. (2001a), 'The West London schools study: the effects of chronic aircraft noise exposure on child health', *Psychological Medicine*, **31**, 1385–96.
- Haines, M.M., Stansfeld, S.A., Job, R.F.S., Berglund, B. and Head, J. (2001b), 'Chronic aircraft noise exposure, stress responses, mental health and cognitive performance in school children', *Psychological Medicine*, **31**, 265–77.
- Hall, P. (1975), *Urban and Regional Planning*, Harmondsworth: Penguin Books.
- Halpern, D. (1995), *Mental Health and the Built Environment: More than Bricks and Mortar?*, London: Taylor & Francis.
- Hancock, T. and Duhl, L. (1988), *Promoting Health in the Urban Context*, WHO Healthy Cities Papers No. 1, Copenhagen: WHO Regional Office for Europe.
- Handy, S.L. (1992), 'Regional versus local accessibility: neo-traditional development and its implications for non-work travel', *Built Environment*, **18**, 253–67.
- Handy, S. (1996), 'Methodologies for exploring the link between urban

- form and travel behavior', *Transportation Research Part D: Transport and Environment*, **1**, 151–65.
- Handy, S.L. and Niemeier, D.A. (1997), 'Measuring accessibility: an exploration of issues and alternatives', *Environment and Planning A*, **29**, 1175–94.
- Handy, S., Cao, X. and Mokhtarian, P.L. (2006), 'Self-selection in the relationship between the built environment and walking: empirical evidence from Northern California', *Journal of the American Planning Association*, **72**, 55–74.
- Hannay, D. (1981), 'Mental health and high flats', *Journal of Chronic Diseases*, **34**, 431–2.
- Harpham, T. (2009), 'Urban health in developing countries: what do we know and where do we go?', *Health and Place*, **15**, 107–16.
- Hartig, T., Evans, G., Jamner, L.D., Davis, D.S. and Garling, T. (2003), 'Tracking restoration in natural and urban field settings', *Journal of Environmental Psychology*, **23**, 109–23.
- Haskell, W.L., Blair, S.N. and Hill, J.O. (2009), 'Physical activity: health outcomes and importance for public health policy', *Preventive Medicine*, **49**, 280–82.
- Hassen, R. (1977), 'Social and psychological implications of high population density', *Civilisations*, **27**, 230–36.
- He, J., Vupputuri, S., Allen, K., Prerost, M.R., Hughes, J. and Whelton, P.K. (1999), 'Passive smoking and the risk of coronary heart disease – a meta-analysis of epidemiologic studies', *New England Journal of Medicine*, **340**, 920–26.
- Healthy Spaces and Places (2009), *Healthy Spaces and Places: A National Guide to Designing Places for Healthy Living*, Kingston, Canberra: Planning Institute of Australia.
- Healy, J.D. (2003), 'Policy review', *Housing Studies*, **18**, 409–24.
- Heimlich, R.E. and Anderson, W.D. (2001), *Development at the Urban Fringe and Beyond: Impacts on Agriculture and Rural Land*, Washington, DC: Economic Research Service, US Department of Agriculture.
- Henderson, J.V. (1986), 'Efficiency of resource usage and city size', *Journal of Urban Economics*, **19**, 47–70.
- Henderson, J.V. (1988), *Urban Development: Theory, Fact, and Illusion*, Oxford: Oxford University Press.
- Henle, J. (1840), *Pathologische Untersuchungen*, Berlin: Hirschwald.
- Henle, J. ([1840] 1938), *On Miasmata and Contagia*, trans. G. Rosen, Baltimore, MD: Johns Hopkins University Press.
- Herrick, C. (2009), 'Designing the fit city: public health, active lives, and the (re)instrumentalization of urban space', *Environment and Planning A*, **41**, 2437–54.

- Hicks, J. and Allen, G. (1999), *A Century of Change: Trends in UK Statistics since 1900*, Research Paper RP99/111, London: Social and General Statistics Section, House of Commons Library, available at: <http://www.parliament.uk/briefing-papers/RP99-111>.
- Hillier, B. (1996), *Space Is the Machine: A Configurational Theory of Architecture*, Cambridge: Cambridge University Press.
- Hillier, B. (1999), 'The hidden geometry of deformed grids: or, why space syntax works, when it looks as though it shouldn't', *Environment and Planning B: Planning and Design*, **26**, 169–91.
- Hillier, B. (2004), 'Can streets be made safe?', *Urban Design International*, **9**, 31–45.
- Hillier, B. (2012), 'Studying cities to learn about minds: some possible implications of space syntax for spatial cognition', *Environment and Planning B: Planning and Design*, **39**, 12–32.
- Hillier, B. and Hanson, J. (1984), *The Social Logic of Space*, Cambridge: Cambridge University Press.
- Hillier, B. and Iida, S. (2005), 'Network and psychological effects in urban movement', *Lecture Notes in Computer Science*, **3693**, 553–64.
- Hillier, B., Hanson, J., Peponis, J., Hudson, J. and Burdet, R. (1983), 'Space syntax: a new urban perspective', *Architect's Journal*, **30**, 51–63.
- Hillier, B., Hanson, J. and Graham, H. (1987), 'Ideas are in things: an application of the space syntax method to discovering house genotypes', *Environment and Planning B: Planning and Design*, **14**, 363–85.
- Hillier, B., Penn, A., Hanson, J., Grajewski, T. and Xu, J. (1993), 'Natural movement: or, configuration and attraction in urban pedestrian movement', *Environment and Planning B: Planning and Design*, **20**, 29–66.
- Hippocrates (1948), *Airs, Waters, Places*, trans. W.H.S. Jones, vol. I, Cambridge, MA: Harvard University Press, pp. 71–137.
- Hodgson, M. (2002), 'Indoor environmental exposures and symptoms', *Environmental Health Perspectives*, **110**, Suppl. 4, 663–7.
- Hoehner, C.M., Brennan, L.K., Brownson, R.C., Handy, S.L. and Killingsworth, R. (2003), 'Opportunities for integrating public health and urban planning approaches to promote active community environments', *American Journal of Health Promotion*, **18**, 14–20.
- Hoehner, C.M., Brennan Ramirez, L.K., Elliott, M.B., Handy, S.L. and Brownson, R.C. (2005), 'Perceived and objective environmental measures and physical activity among urban adults', *American Journal of Preventive Medicine*, **28**, 105–16.
- Hollander, A.E.M. de and Staatsen, B.A.M. (2003), 'Health, environment and quality of life: an epidemiological perspective on urban development', *Landscape and Urban Planning*, **65**, 53–62.
- Homer, J.B. and Hirsch, G.B. (2006), 'System dynamics modeling for

- public health: background and opportunities', *American Journal of Public Health*, **96**, 452–8.
- Hoppin, J.A., Ulmer, R. and London, S.J. (2004), 'Phthalate exposure and pulmonary function', *Environmental Health Perspectives*, **112**, 571–4.
- Hopton, J.L. and Hunt, S.M. (1996), 'Housing conditions and mental health in a disadvantaged area in Scotland', *Journal of Epidemiology and Community Health*, **50**, 56–61.
- Horton, F.E. and Reynolds, D.R. (1971), 'Effects of urban spatial structure on individual behavior', *Economic Geography*, **47**, 36–48.
- Hosen, H. (1978), 'Moulds in allergy', *Journal of Asthma Research*, **15**, 151–6.
- Howard, E. (1902), *Garden Cities of Tomorrow*, London: Swan Sonnenschein & Co.
- Howard, M. (1993), 'The effects on human health of pest infestations in houses', in R. Burridge and D. Ormandy (eds), *Unhealthy Housing: Research, Remedies and Reforms*, London: Chapman & Hall.
- Howden-Chapman, P. (2004), 'Housing standards: a glossary of housing and health', *Journal of Epidemiology and Community Health*, **58**, 162–8.
- Howden-Chapman, P., Pierse, N., Nicholls, S., Gillespie-Bennett, J., Viggers, H., Cunningham, M., Phipps, R., Boulic, M., Fjällström, P., Free, S., Chapman, R., Lloyd, B., Wickens, K., Shields, D., Baker, M., Cunningham, C., Woodward, A., Bullen, C. and Crane, J. (2008), 'Effects of improved home heating on asthma in community dwelling children: randomised controlled trial', *British Medical Journal*, **337**, 852–5.
- Hu, F.B. (2011), 'Globalization of diabetes: the role of diet, lifestyle, and genes', *Diabetes Care*, **34**, 1249–57.
- Hu, G., Pekkarinen, H., Hänninen, O., Yu, Z., Guo, Z. and Tian, H. (2002), 'Commuting, leisure-time physical activity, and cardiovascular risk factors in China', *Medicine and Science in Sports and Exercise*, **34**, 234–8.
- Huang, S.-J., Hung, W.-C., Sharpe, P.A. and Wai, J.P. (2010), 'Neighborhood environment and physical activity among urban and rural schoolchildren in Taiwan', *Health and Place*, **16**, 470–76.
- Huber, M., Knottnerus, J.A., Green, L., Horst, H., Jadad, A.R., Kromhout, D., Leonard, B., Lorig, K., Loureiro, M.I. and Meer, J.W.M. (2011), 'How should we define health?', *British Medical Journal*, **343**, 235–7.
- Hulka, B.S., Wilcosky, T.C. and Griffith, J.D. (1990), *Biological Markers in Epidemiology*, New York: Oxford University Press.
- Humpel, N., Owen, N. and Leslie, E. (2002), 'Environmental factors associated with adults' participation in physical activity: a review', *American Journal of Preventive Medicine*, **22**, 188–99.

- Humphreys, K. and Carr-Hill, R. (1991), 'Area variations in health outcomes: artefact or ecology', *International Journal of Epidemiology*, **20**, 251–8.
- Hunter, D.J. (2005), 'Gene–environment interactions in human diseases', *Nature Reviews Genetics*, **6**, 287–98.
- Huppert, F.A., Walters, D.E., Day, N.E. and Elliott, B.J. (1989), 'The factor structure of the General Health Questionnaire (GHQ-30): a reliability study on 6317 community residents', *British Journal of Psychiatry*, **155**, 178–85.
- Husaini, B.A., Moore, S.T. and Castor, R.S. (1991), 'Social and psychological well-being of black elderly living in high-rises for the elderly', *Journal of Gerontological Social Work*, **16**, 57–78.
- Hutchinson, G.E. (1957), 'Concluding remarks', *Cold Springs Harbor Symposia on Quantitative Biology*, **22**, 415–27.
- Hygge, S., Evans, G.W. and Bullinger, M. (2002), 'A prospective study of some effects of aircraft noise on cognitive performance in schoolchildren', *Psychological Science*, **13**, 469–74.
- Hyndman, S.J. (1990), 'Housing dampness and health amongst British Bengalis in East London', *Social Science and Medicine*, **30**, 131–41.
- ICSU (2012), *Report of the ICSU Planning Group on Health and Wellbeing in the Changing Urban Environment: A Systems Analysis Approach*, Paris: International Council for Science.
- Inagami, S., Cohen, D.A., Finch, B.K. and Asch, S.M. (2006), 'You are where you shop: grocery store locations, weight, and neighborhoods', *American Journal of Preventive Medicine*, **31**, 10–17.
- Ineichen, B. and Hooper, D. (1974), 'Wives' mental health and children's behaviour problems in contrasting residential areas', *Social Science and Medicine*, **8**, 369–74.
- Institute of Medicine (2000), *Clearing the Air: Asthma and Indoor Air Exposure*, Committee on the Assessment of Asthma and Indoor Air, Division of Health Promotion and Disease Prevention, Institute of Medicine, Washington, DC: National Academies Press.
- Institute of Medicine (2001), *Rebuilding the Unity of Health and the Environment: A New Vision of Environmental Health for the 21st Century*, Washington, DC: National Academies Press.
- Jaakkola, J.J.K., Øie, L., Nafstad, P., Botten, G., Samuelsen, S.O. and Magnus, P. (1999), 'Interior surface materials in the home and the development of bronchial obstruction in young children in Oslo, Norway', *American Journal of Public Health*, **89**, 188–92.
- Jaakkola, J.J.K., Verkasalo, P.K. and Jaakkola, N. (2000), 'Plastic wall materials in the home and respiratory health in young children', *American Journal of Public Health*, **90**, 797–9.

- Jackson, K.T. (1985), *Crabgrass Frontier: The Suburbanization of the United States*, New York: Oxford University Press.
- Jadad, A.R. and O'Grady, L. (2008), 'How should health be defined?', *British Medical Journal*, **337**.
- Jain, U. (1987), *The Psychological Consequences of Crowding*, New Delhi: Sage.
- James, S.A. and Kleinbaum, D.G. (1976), 'Socioecologic stress and hypertension related mortality rates in North Carolina', *American Journal of Public Health*, **66**, 354–8.
- James, W.P. (1998), 'What are the health risks? The medical consequences of obesity and its health risks', *Experimental and Clinical Endocrinology and Diabetes: Official Journal, German Society of Endocrinology [and] German Diabetes Association*, **106**, Suppl. 2, 1–6.
- Jenkins, H.S., Devalia, J.L., Mister, R.L., Bevan, A.M., Rusznak, C. and Davies, R.J. (1999), 'The effect of exposure to ozone and nitrogen dioxide on the airway response of atopic asthmatics to inhaled allergen: dose- and time-dependent effects', *American Journal of Respiratory and Critical Care Medicine*, **160**, 33–9.
- Jenkins, R., Meltzer, H., Jones, P.B., Brugha, T., Bebbington, P., Farrell, M., Crepaz-Keay, D. and Knapp, M. (2008), *Mental Health: Future Challenges*, Foresight Mental Capital and Wellbeing Project, London: Government Office for Science.
- Jensen, J.R. (2005), *Introductory Digital Image Processing: A Remote Sensing Perspective*, New York: Prentice Hall.
- Jerrett, M., McConnell, R., Chang, C.C.R., Wolch, J., Reynolds, K., Lurmann, F., Gilliland, F. and Berhane, K. (2010), 'Automobile traffic around the home and attained body mass index: a longitudinal cohort study of children aged 10–18 years', *Preventive Medicine*, **50**, S50–58.
- Jha, P. (1999), *Curbing the Epidemic: Governments and the Economics of Tobacco Control*, Washington, DC: World Bank.
- Jilcott, S.B., Evenson, K.R., Laraia, B.A. and Ammerman, A.S. (2007), 'Association between physical activity and proximity to physical activity resources among low-income, midlife women', *Preventing Chronic Disease*, **4**.
- Johnson, M.P., Ladd, H.F. and Ludwig, J. (2002), 'The benefits and costs of residential mobility programs for the poor', *Housing Studies*, **17**, 125–38.
- Jones, D.M., Song, X. and Rockwood, K. (2004), 'Operationalizing a frailty index from a standardized comprehensive geriatric assessment', *Journal of the American Geriatrics Society*, **52**, 1929–33.
- Jones, K. and Duncan, C. (1995), 'Individuals and their ecologies: analysis-

- ing the geography of chronic illness within a multilevel modelling framework', *Health and Place*, **1**, 27–40.
- Kaczynski, A.T., Johnson, A.J. and Saelens, B.E. (2010), 'Neighborhood land use diversity and physical activity in adjacent parks', *Health and Place*, **16**, 413–15.
- Kaplan, R. (2001), 'The nature of the view from home psychological benefits', *Environment and Behavior*, **33**, 507–42.
- Karim, Y.G., Ijaz, M.K., Sattar, S.A. and Johnson-Lussenburg, C.M. (1985), 'Effect of relative humidity on the airborne survival of rhinovirus-14', *Canadian Journal of Microbiology*, **31**, 1058–61.
- Karimi, K. (2012), 'A configurational approach to analytic urban design: "space syntax" methodology', *Urban Design International*, **17**, 297–318.
- Karimi, K., Amir, A., Shaiei, K., Raford, N., Abdul, E., Zhang, J. and Mavridou, M. (2007), 'Evidence-based spatial intervention for regeneration of informal settlements: the case of Jeddah central unplanned areas', in *Proceedings of the 6th International Space Syntax Symposium*, Istanbul Technical University, Istanbul.
- Kashef, M. (2011), 'Walkability and residential suburbs: a multidisciplinary perspective', *Journal of Urbanism*, **4**, 39–56.
- Katzmarzyk, P.T. and Janssen, I. (2004), 'The economic costs associated with physical inactivity and obesity in Canada: an update', *Canadian Journal of Applied Physiology*, **29**, 90–115.
- Kawachi, I. and Berkman, L.F. (2001), 'Social ties and mental health', *Journal of Urban Health*, **78**, 458–67.
- Kearns, G. (1988), 'The urban penalty and the population history of England', in A. Brandstrom and L.G. Tederbrand (eds), *Society, Health and Population during the Demographic Transition*, Stockholm: Almqvist and Wiskell International.
- Kellett, J.M. (1993), 'Crowding and mortality in London boroughs', in R. Burridge and D. Ormandy (eds), *Unhealthy Housing: Research, Remedies and Reforms*, London: Chapman & Hall.
- Khoury, M.J., Beaty, T.H. and Cohen, B.H. (1993), *Fundamentals of Genetic Epidemiology*, New York: Oxford University Press.
- Kidd, S. (2007), 'Towards a framework of integration in spatial planning: an exploration from a health perspective', *Planning Theory and Practice*, **8**, 161–81.
- Kimokoti, R.W. and Millen, B.E. (2011), 'Diet, the global obesity epidemic, and prevention', *Journal of the American Dietetic Association*, **111**, 1137–40.
- King, A.C., Sallis, J.F., Frank, L.D., Saelens, B.E., Cain, K., Conway, T.L., Chapman, J.E., Ahn, D.K. and Kerr, J. (2011), 'Aging in neighborhoods

- differing in walkability and income: associations with physical activity and obesity in older adults', *Social Science and Medicine*, **73**, 1525–33.
- King, W.C., Belle, S.H., Brach, J.S., Simkin-Silverman, L.R., Soska, T. and Kriska, A.M. (2005), 'Objective measures of neighborhood environment and physical activity in older women', *American Journal of Preventive Medicine*, **28**, 461.
- Kligerman, M., Sallis, J.F., Ryan, S., Frank, L.D. and Nader, P.R. (2007), 'Association of neighborhood design and recreation environment variables with physical activity and body mass index in adolescents', *American Journal of Health Promotion*, **21**, 274–7.
- Knave, B. (1994), 'Electric and magnetic fields and health outcomes – an overview', *Scandinavian Journal of Work, Environment and Health*, **20**, 78–89.
- Knox, P. (1982), 'Residential structure, facility location and patterns of accessibility', in K. Cox and R. Johnston (eds), *Conflict, Politics and the Urban Scene*, London: Longman.
- Kockelman, K.M. (1997), 'Travel behavior as a function of accessibility, land use mixing, and land use balance: evidence from the San Francisco Bay Area', *Transportation Research Record: Journal of the Transportation Research Board*, **1607**, 116–25.
- Koenig, J.G. (1980), 'Indicators of urban accessibility: theory and application', *Transportation*, **9**, 145–72.
- Koopman, J.S. and Lynch, J.W. (1999), 'Individual causal models and population system models in epidemiology', *American Journal of Public Health*, **89**, 1170–74.
- Kopelman, P.G. (2000), 'Obesity as a medical problem', *Nature*, **404**, 635–43.
- Koskenvuo, M., Kaprio, J., Kesäniemi, A. and Sarna, S. (1980), 'Differences in mortality from ischemic heart disease by marital status and social class', *Journal of Chronic Diseases*, **33**, 95–106.
- Krieger, J. and Higgins, D.L. (2002), 'Housing and health: time again for public health action', *American Journal of Public Health*, **92**, 758–68.
- Krieger, N. (1992), 'Overcoming the absence of socioeconomic data in medical records: validation and application of a census-based methodology', *American Journal of Public Health*, **82**, 703–10.
- Krieger, N. (1994), 'Epidemiology and the web of causation: has anyone seen the spider?', *Social Science and Medicine*, **39**, 887–903.
- Krieger, N. (2001), 'Theories for social epidemiology in the 21st century: an ecosocial perspective', *International Journal of Epidemiology*, **30**, 668–77.
- Krieger, N., Rowley, D.L., Herman, A.A., Avery, B. and Phillips, M.T. (1993), 'Racism, sexism, and social class: implications for studies

- of health, disease, and well-being', *American Journal of Preventive Medicine*, **9**, 82–122.
- Krzyzanowski, M., Quackenboss, J.J. and Lebowitz, M.D. (1990), 'Chronic respiratory effects of indoor formaldehyde exposure', *Environmental Research*, **52**, 117–25.
- Kubzansky, L.D., Subramanian, S.V., Kawachi, I., Fay, M.E., Soobader, M.J. and Berkman, L.F. (2005), 'Neighborhood contextual influences on depressive symptoms in the elderly', *American Journal of Epidemiology*, **162**, 253–60.
- Kuh, D. and Ben-Shlomo, Y. (2004), *A Life Course Approach to Chronic Disease Epidemiology*, New York: Oxford University Press.
- Kulle, T.J. (1993), 'Acute odor and irritation response in healthy nonsmokers with formaldehyde exposure', *Inhalation Toxicology*, **5**, 323–32.
- Kunzli, N., Kaiser, R., Medina, S., Studnicka, M., Chanel, O., Filliger, P., Herry, M., Horak, F., Jr, Puybonnieux-Textier, V. and Quenel, P. (2000), 'Public-health impact of outdoor and traffic-related air pollution: a European assessment', *Lancet*, **356**, 795–801.
- Kutner, M.H., Nachtsheim, C.J. and Neter, J. (2004), *Applied Linear Regression Models*, Irwin, NY: McGraw-Hill.
- Lachowycz, K. and Jones, A. (2011), 'Greenspace and obesity: a systematic review of the evidence', *Obesity Reviews*, **12**, e183–9.
- Lakoff, G. and Johnson, M. (1980), *Metaphors We Live By*, Chicago: Chicago University Press.
- Landsbergis, P.A., Schnall, P.L., Belkić, K.L., Baker, D., Schwartz, J.E. and Pickering, T.G. (2003), *The Workplace and Cardiovascular Disease: Relevance and Potential Role for Occupational Health Psychology*, Washington, DC: American Psychological Association.
- Lang, T., Fouriaud, C. and Jacquinet-Salord, M.C. (1992), 'Length of occupational noise exposure and blood pressure', *International Archives of Occupational and Environmental Health*, **63**, 369–72.
- Lauer, R.M., Lee, J. and Clarke, W.R. (1988), 'Factors affecting the relationship between childhood and adult cholesterol levels: the Muscatine Study', *Pediatrics*, **82**, 309–18.
- Lawton, M.P. (1980), *Environment and Aging*, Monterey, CA: Brooks/Cole.
- Lebowitz, B.D., Pearson, J.L., Schneider, L.S., Reynolds, C.F., III, Alexopoulos, G.S., Bruce, M.L., Conwell, Y., Katz, I.R., Meyers, B.S., Morrison, M.F., Mossey, J., Niederehe, G. and Parmelee, P. (1997), 'Diagnosis and treatment of depression in late life: consensus statement update', *Journal of the American Medical Association*, **278**, 1186–90.
- Leckie, G. and Charlton, C. (2011), 'Runmlwin: Stata module for fitting multilevel models in the MLwiN software package', Centre for Multilevel Modelling, University of Bristol.

- Lee, A.H. and Xiang, L. (2011), 'Mixture analysis of heterogeneous physical activity outcomes', *Annals of Epidemiology*, **21**, 780–86.
- Lee, A.H., Zhao, Y., Yau, K.K.W. and Xiang, L. (2010), 'How to analyze longitudinal multilevel physical activity data with many zeros?', *Preventive Medicine*, **51**, 476–81.
- Lee, C. and Moudon, A.V. (2006a), 'The 3Ds + R: quantifying land use and urban form correlates of walking', *Transportation Research Part D: Transport and Environment*, **11**, 204–15.
- Lee, C. and Moudon, A.V. (2006b), 'Correlates of walking for transportation or recreation purposes', *Journal of Physical Activity and Health*, **3**, S77–98.
- Lee, I.M., Ewing, R. and Sesso, H.D. (2009), 'The built environment and physical activity levels: the Harvard Alumni Health Study', *American Journal of Preventive Medicine*, **37**, 293–8.
- Lee, S., Seo, J.G. and Webster, C. (2006), 'The decentralising metropolis: economic diversity and commuting in the US suburbs', *Urban Studies*, **43**, 2525–49.
- Leech, J.A., Nelson, W.C., Burnett, R.T., Aaron, S. and Raizenne, M.E. (2002), 'It's about time: a comparison of Canadian and American time-activity patterns', *Journal of Exposure Analysis and Environmental Epidemiology*, **12**, 427–32.
- Lehmann, I., Thoenke, A., Weiss, M., Schlink, U., Schulz, R., Diez, U., Sierig, G., Emmrich, F., Jacob, B., Belcredi, P., Bolte, G., Heinrich, J., Herbarth, O., Wichmann, H.E. and Borte, M. (2002), 'T cell reactivity in neonates from an East and a West German city – results of the LISA study', *Allergy: European Journal of Allergy and Clinical Immunology*, **57**, 129–36.
- Lenthe, F.J. van, Brug, J. and Mackenbach, J.P. (2005), 'Neighbourhood inequalities in physical inactivity: the role of neighbourhood attractiveness, proximity to local facilities and safety in the Netherlands', *Social Science and Medicine*, **60**, 763–75.
- Lepore, S.J., Evans, G.W. and Schneider, M.L. (1991), 'Dynamic role of social support in the link between chronic stress and psychological distress', *Journal of Personality and Social Psychology*, **61**, 899.
- Lercher, P., Evans, G.W., Meis, M. and Kofler, W.W. (2002), 'Ambient neighbourhood noise and children's mental health', *Occupational and Environmental Medicine*, **59**, 380–86.
- Leslie, E. and Cerin, E. (2008), 'Are perceptions of the local environment related to neighbourhood satisfaction and mental health in adults?', *Preventive Medicine*, **47**, 273–8.
- Leslie, E., Coffee, N., Frank, L., Owen, N., Bauman, A. and Hugo, G. (2007), 'Walkability of local communities: using geographic information

- systems to objectively assess relevant environmental attributes', *Health and Place*, **13**, 111–22.
- Leyden, K.M. (2003) 'Social capital and the built environment: the importance of walkable neighborhoods', *American Journal of Public Health*, **93**, 1546–51.
- Li, F., Fisher, K.J., Bauman, A., Ory, M.G., Chodzko-Zajko, W., Harmer, P., Bosworth, M. and Cleveland, M. (2005), 'Neighborhood influences on physical activity in middle-aged and older adults: a multilevel perspective', *Journal of Aging and Physical Activity*, **13**, 87–114.
- Li, F., Fisher, K.J., Brownson, R.C. and Bosworth, M. (2005), 'Multilevel modelling of built environment characteristics related to neighbourhood walking activity in older adults', *Journal of Epidemiology and Community Health*, **59**, 558–64.
- Li, F., Harmer, P.A., Cardinal, B.J., Bosworth, M., Acock, A., Johnson-Shelton, D. and Moore, J.M. (2008), 'Built environment, adiposity, and physical activity in adults aged 50–75', *American Journal of Preventive Medicine*, **35**, 38–46.
- Li, F., Harmer, P., Cardinal, B.J., Bosworth, M., Johnson-Shelton, D., Moore, J.M., Acock, A. and Vongjaturapat, N. (2009), 'Built environment and 1-year change in weight and waist circumference in middle-aged and older adults: Portland neighborhood environment and health study', *American Journal of Epidemiology*, **169**, 401–08.
- Li, F., Harmer, P., Cardinal, B.J. and Vongjaturapat, N. (2009), 'Built environment and changes in blood pressure in middle aged and older adults', *Preventive Medicine*, **48**, 237–41.
- Li, R. and Klippel, A. (2010), 'Using space syntax to understand knowledge acquisition and wayfinding in indoor environments', in *Proceedings of the 9th IEEE International Conference on Cognitive Informatics*, Beijing, China.
- Link, B.G. and Phelan, J. (1995), 'Social conditions as fundamental causes of disease', *Journal of Health and Social Behavior*, **35**, 80–94.
- Litman, T. (2003), 'Measuring transportation: traffic, mobility and accessibility', *ITE Journal* (Institute of Transportation Engineers), **73**, 28–32.
- Lobstein, T., Baur, L. and Uauy, R. (2004), 'Obesity in children and young people: a crisis in public health', *Obesity Reviews*, **5**, 4–85.
- Logan, T.H. (1972), 'The invention of zoning in the emerging planning profession of late nineteenth century Germany', Ph.D. thesis, University of North Carolina at Chapel Hill.
- Logue, E.E. and Jarjoura, D. (1990), 'Modeling heart disease mortality with census tract rates and social class mixtures', *Social Science and Medicine*, **31**, 545–50.
- Loomis, D. and Wing, S. (1990), 'Is molecular epidemiology a germ

- theory for the end of the twentieth century?', *International Journal of Epidemiology*, **19**, 1–3.
- Lopez, A.D. (1993), 'Assessing the burden of mortality from cardiovascular diseases', *World Health Statistics Quarterly/Rapport trimestriel de statistiques sanitaires mondiales*, **46**, 91–6.
- Lopez, R. (2004), 'Urban sprawl and risk for being overweight or obese', *American Journal of Public Health*, **94**, 1574–9.
- Lopez Moreno, E. and Warah, R. (2006), 'The State of the World's Cities Report 2006/7 – urban and slum trends in the 21st century', *UN Chronicle*, **43**, 24.
- Lovett, A., Haynes, R., Sünnerberg, G. and Gale, S. (2002), 'Car travel time and accessibility by bus to general practitioner services: a study using patient registers and GIS', *Social Science and Medicine*, **55**, 97–111.
- Lowry, S. (1989), 'Health and housing: noise, space, and light', *British Medical Journal*, **299**, 1439.
- Lund, H. (2002), 'Pedestrian environments and sense of community', *Journal of Planning Education and Research*, **21**, 301–12.
- Luo, W. and Wang, F. (2003), 'Measures of spatial accessibility to health care in a GIS environment: synthesis and a case study in the Chicago region', *Environment and Planning B: Planning and Design*, **30**, 865–84.
- Lynch, J.W., Davey Smith, G., Kaplan, G.A. and House, J.S. (2000), 'Income inequality and mortality: importance to health of individual income, psychosocial environment, or material conditions', *British Medical Journal*, **320**, 1200–1204.
- Lynch, K. (1960), *The Image of the City*, Cambridge, MA: MIT Press.
- Maantay, J. (2001), 'Zoning, equity, and public health', *American Journal of Public Health*, **91**, 1033.
- Maas, C.J.M. and Hox, J.J. (2004), 'Robustness issues in multilevel regression analysis', *Statistica Neerlandica*, **58**, 127–37.
- Maas, J., Verheij, R.A., Groenewegen, P.P., Vries S. de and Spreeuwenberg, P. (2006), 'Green space, urbanity, and health: how strong is the relation?', *Journal of Epidemiology and Community Health*, **60**, 587–92.
- McCahill, C. and Garrick, N.W. (2008), 'The applicability of space syntax to bicycle facility planning', *Transportation Research Record*, **2074**, 46–51.
- McCarthy, D. and Saegert, S. (1979), 'Residential density, social overload, and social withdrawal', in J. Aiello and A. Baum (eds), *Residential Crowding and Density*, New York: Plenum.
- McCarthy, P., Byrne, D., Harrison, S. and Keithley, J. (1985), 'Housing type, housing location and mental health', *Social Psychiatry and Psychiatric Epidemiology*, **20**, 125–30.

- MacCormac, E.R. (1985), *A Cognitive Theory of Metaphor*, Cambridge, MA: MIT Press.
- McGeehin, M.A. and Mirabelli, M. (2001), 'The potential impacts of climate variability and change on temperature-related morbidity and mortality in the United States', *Environmental Health Perspectives*, **109**, 185.
- McGoldrick, J.D., Graubard, S. and Horowitz, R. (1944), *Building Regulations in New York City*, New York: Commonwealth Fund.
- Macintyre, S. (1997), 'The Black Report and beyond: what are the issues?', *Social Science and Medicine*, **44**, 723–45.
- Macintyre, S., MacIver, S. and Sooman, A. (1993), 'Area, class and health: should we be focusing on places or people?', *Journal of Social Policy*, **22**, 213–34.
- Macintyre, S., Ellaway, A., Der, G., Ford, G. and Hunt, K. (1998), 'Do housing tenure and car access predict health because they are simply markers of income or self esteem? A Scottish study', *Journal of Epidemiology and Community Health*, **52**, 657–64.
- Macintyre, S., Hiscock, R., Kearns, A. and Ellaway, A. (2001), 'Housing tenure and car access: further exploration of the nature of their relations with health in a UK setting', *Journal of Epidemiology and Community Health*, **55**, 330–31.
- Macintyre, S., Ellaway, A. and Cummins, S. (2002), 'Place effects on health: how can we conceptualise, operationalise and measure them?', *Social Science and Medicine*, **55**, 125–39.
- McKeown, T. (1979), *The Role of Medicine: Dream, Mirage or Nemesis?*, Princeton, NJ: Princeton University Press.
- McKinlay, A.F., Whillock, M. and Meulemans, C.C.E. (1989), *Ultraviolet Radiation and Blue Light Emissions from Spotlights Incorporating Tungsten Halogen Lamps*, Chilton, Oxfordshire: National Radiological Protection Board.
- McKinlay, J.B. (1994), 'Towards appropriate levels of analysis, research methods and health public policy', International Symposium on Quality of Life and Health: Theoretical and Methodological Considerations, Berlin.
- McMichael, A.J. (1994), 'Invited commentary – “molecular epidemiology”: new pathway or new travelling companion?', *American Journal of Epidemiology*, **140**, 1–11.
- McMichael, A.J. (1999), 'Prisoners of the proximate: loosening the constraints on epidemiology in an age of change', *American Journal of Epidemiology*, **149**, 887–97.
- McMichael, A.J., Woodruff, R.E. and Hales, S. (2006), 'Climate change and human health: present and future risks', *Lancet*, **367**, 859–69.

- McQueen, D.V. and Siegrist, J. (1982), 'Social factors in the etiology of chronic disease: an overview', *Social Science and Medicine*, **16**, 353–67.
- Manolio, T.A. and Collins, R. (2010), 'Enhancing the feasibility of large cohort studies', *Journal of the American Medical Association*, **304**, 2290–91.
- Manolio, T.A., Bailey-Wilson, J.E. and Collins, F.S. (2006), 'Genes, environment and the value of prospective cohort studies', *Nature Reviews Genetics*, **7**, 812–20.
- Manolio, T.A., Weis, B.K., Cowie, C.C., Hoover, R.N., Hudson, K., Kramer, B.S., Berg, C., Collins, R., Ewart, W. and Gaziano, J.M. (2012), 'New models for large prospective studies: is there a better way?', *American Journal of Epidemiology*, **175**, 859–66.
- Mantel, N. and Haenszel, W. (1959), 'Statistical aspects of the analysis of data from retrospective studies of disease', *Journal of the National Cancer Institute*, **22**, 719–48.
- Markus, T.A. (1993), 'Cold, condensation and housing poverty', in R. Burridge and D. Ormandy (eds), *Unhealthy Housing: Research, Remedies and Reforms*, London: Chapman & Hall.
- Marmot, M.G. and Syme, S.L. (1976), 'Acculturation and coronary heart disease in Japanese Americans', *American Journal of Epidemiology*, **104**, 225–47.
- Marmot, M.G., Adelstein, A.M., Robinson, N. and Rose, G.A. (1978), 'Changing social-class distribution of heart disease', *British Medical Journal*, **2**, 1109–12.
- Marmot, M.G., Shipley, M.J. and Rose, G. (1984), 'Inequalities in death: specific explanations of a general pattern?', *Lancet*, **1**, 1003–06.
- Marmot, M.G., Smith, G.D., Stansfeld, S., Patel, C., North, F., Head, J., White, I., Brunner, E. and Feeney, A. (1991), 'Health inequalities among British civil servants: the Whitehall II Study', *Lancet*, **337**, 1387–93.
- Marsella, A.J., Escudero, M. and Gordon, P. (1970), 'The effects of dwelling density on mental disorders in Filipino men', *Journal of Health and Social Behavior*, **11**, 288–94.
- Marsh, A., Gordon, D., Pantazis, C. and Heslop, P. (1999), *Home Sweet Home? The Impact of Poor Housing on Health*, Bristol: Policy Press.
- Martin, C.J., Platt, S.D. and Hunt, S.M. (1987), 'Housing conditions and ill health', *British Medical Journal (Clinical Research edn)*, **294**, 1125–7.
- Martin, D. (1997), 'From enumeration districts to output areas: experiments in the automated creation of a census output geography', *Population Trends*, **88**, 36–42.
- Martin, D. (1998), 'Optimizing census geography: the separation of collection and output geographies', *International Journal of Geographical Information Science*, **12**, 673–85.

- Materia, E. and Baglio, G. (2005), 'Health, science, and complexity', *Journal of Epidemiology and Community Health*, **59**, 534–5.
- Matthews, J.W. and Turnbull, G.K. (2007), 'Neighborhood street layout and property value: the interaction of accessibility and land use mix', *Journal of Real Estate Finance and Economics*, **35**, 111–41.
- Mehta, N.K. and Chang, V.W. (2008), 'Weight status and restaurant availability: a multilevel analysis', *American Journal of Preventive Medicine*, **34**, 127.
- Meininghaus, R., Kirchner, S., Maupetit, F., Sallée, H. and Quenard, D. (2000), 'Gravimetric studies on VOC adsorption by indoor materials under near-ambient conditions', *Indoor and Built Environment*, **9**, 277–83.
- Merlo, J. (2003), 'Multilevel analytical approaches in social epidemiology: measures of health variation compared with traditional measures of association', *Journal of Epidemiology and Community Health*, **57**, 550–52.
- Michael, Y.L. and Yen, I.H. (2009), 'Invited commentary: built environment and obesity among older adults – can neighborhood-level policy interventions make a difference?', *American Journal of Epidemiology*, **169**, 409–12.
- Miles, L. (2007), 'Physical activity and health', *Nutrition Bulletin*, **32**, 314–63.
- Millington, C., Ward Thompson, C., Rowe, D., Aspinall, P., Fitzsimons, C., Nelson, N. and Mutrie, N. (2009), 'Development of the Scottish Walkability Assessment Tool (SWAT)', *Health and Place*, **15**, 474–81.
- Milne, A., Allwood, G.K. and Moyes, C.D. (1987), 'A seroepidemiological study of the prevalence of hepatitis B infections in a hyperendemic New Zealand community', *International Journal of Epidemiology*, **16**, 84–90.
- Mitchell, Richard, Blane, D. and Bartley, M. (2002), 'Elevated risk of high blood pressure: climate and the inverse housing law', *International Journal of Epidemiology*, **31**, 831–8.
- Mitchell, Richard and Popham, F. (2008), 'Effect of exposure to natural environment on health inequalities: an observational population study', *Lancet*, **372** (9650), 1655–60.
- Mitchell, Robert E. (1971), 'Some social implications of high density housing', *American Sociological Review*, **36**, 18–29.
- Mobley, L.R., Root, E.D., Finkelstein, E.A., Khavjou, O., Farris, R.P. and Will, J.C. (2006), 'Environment, obesity, and cardiovascular disease risk in low-income women', *American Journal of Preventive Medicine*, **30**, 327–32.e1.
- Montello, D.R. (1991), 'Spatial orientation and the angularity of urban routes: a field study', *Environment and Behavior*, **23**, 47–69.

- Moomaw, R.L. (1981), 'Productivity and city size: a critique of the evidence', *Quarterly Journal of Economics*, **96**, 675–88.
- Moorcroft, P. and Lewis, M.A. (2006), *Mechanistic Home Range Analysis*, Princeton, NJ: Princeton University Press.
- Moorey, S., Greer, S., Watson, M., Gorman, C., Rowden, L., Tunmore, R., Robertson, B. and Bliss, J. (1991), 'The factor structure and factor stability of the Hospital Anxiety and Depression Scale in patients with cancer', *British Journal of Psychiatry*, **158**, 255–9.
- Morland, K., Diez Roux, A.V. and Wing, S. (2006), 'Supermarkets, other food stores, and obesity: the Atherosclerosis Risk in Communities Study', *American Journal of Preventive Medicine*, **30**, 333–9.
- Morris, J.N. (1955), 'Uses of epidemiology', *British Medical Journal*, **2**, 395–401.
- Morris, J.N. (1957), *Uses of Epidemiology*, Edinburgh: Livingstone.
- Morris, J.N., Blane, D.B. and White, I.R. (1996), 'Levels of mortality, education, and social conditions in the 107 local education authority areas of England', *Journal of Epidemiology and Community Health*, **50**, 15–17.
- Motulsky, A.G. (1957), 'Drug reactions, enzymes, and biochemical reactions', *Journal of the American Medical Association*, **165**, 835–7.
- Mueller, B.A., Rivara, F.P., Lii, S.M. and Weiss, N.S. (1990), 'Environmental factors and the risk for childhood pedestrian–motor vehicle collision occurrence', *American Journal of Epidemiology*, **132**, 550–60.
- Mujahid, M.S., Diez Roux, A.V., Morenoff, J.D., Raghunathan, T.E., Cooper, R.S., Ni, H. and Shea, S. (2008), 'Neighborhood characteristics and hypertension', *Epidemiology*, **19**, 590–98.
- Mujahid, M.S., Diez Roux, A.V., Shen, N., Gowda, D., Sanchez, B., Shea, S., Jacobs, D.R., Jr and Jackson, S.A. (2008), 'Relation between neighborhood environments and obesity in the multi-ethnic study of atherosclerosis', *American Journal of Epidemiology*, **167**, 1349–57.
- Murray, C.J.L. and Lopez, A.D. (eds) (1996), *The Global Burden of Disease: A Comprehensive Assessment of Mortality and Disability from Diseases, Injuries and Risk Factors in 1990 and Projected to 2020*, Global Burden of Disease and Injury Series, vol. 1, Cambridge, MA: Harvard University Press.
- Murtagh, P., Cerqueiro, C., Halac, A., Avila, M., Salomón, H. and Weissenbacher, M. (1993), 'Acute lower respiratory infection in Argentinian children: a 40 month clinical and epidemiological study', *Pediatric Pulmonology*, **16**, 1–8.
- Muzet, A. (2007), 'Environmental noise, sleep and health', *Sleep Medicine Reviews*, **11**, 135–42.
- Nagel, C.L., Carlson, N.E., Bosworth, M. and Michael, Y.L. (2008), 'The

- relation between neighborhood built environment and walking activity among older adults', *American Journal of Epidemiology*, **168**, 461–8.
- Nasar, J.L. and Julian, D.A. (1995), 'The psychological sense of community in the neighborhood', *Journal of the American Planning Association*, **61**, 178–84.
- National Heart Forum (2007), *Building Health: Creating and Enhancing Places for Healthy, Active Lives: Blueprint for Action*, ed. N. Cavill, London: National Heart Forum.
- National Heart Foundation of Australia (2004), *Healthy by Design: A Planners' Guide to Environments for Active Living*, Melbourne: Victorian Division, National Heart Foundation of Australia.
- Neas, L.M., Dockery, D.W., Ware, J.H., Spengler, J.D., Speizer, F.E. and Ferris B.G., Jr (1991), 'Association of indoor nitrogen dioxide with respiratory symptoms and pulmonary function in children', *American Journal of Epidemiology*, **134**, 204–19.
- Needleman, H.L., Schell, A., Bellinger, D., Leviton, A. and Allred, E.N. (1990), 'The long-term effects of exposure to low doses of lead in childhood: an 11-year follow-up report', *New England Journal of Medicine*, **322**, 83–8.
- Nelson, M.C., Gordon-Larsen, P., Song, Y. and Popkin, B.M. (2006), 'Built and social environments: associations with adolescent overweight and activity', *American Journal of Preventive Medicine*, **31**, 109–17.
- Neutens, T., Van de Weghe, N., Witlox, F. and De Maeyer, P. (2008), 'A three-dimensional network-based space–time prism', *Journal of Geographical Systems*, **10**, 89–107.
- Newman, O. (1972), *Defensible Space*, New York: Macmillan.
- New York City Board of Estimate and Apportionment (1916), *New York City Zoning Regulations*, New York: New York City Board of Estimate and Apportionment.
- NICE (2008), *Promoting and Creating Built or Natural Environments That Encourage and Support Physical Activity*, NICE Public Health Guidance 8, London: National Institute for Health and Clinical Excellence.
- NIEHS (1993), 'Genetic susceptibility', *Environmental Health Perspectives*, **101**, 364–5.
- NIEHS (1994), 'Biomarkers: the clues to genetic susceptibility', *Environmental Health Perspectives*, **102**, 2–8.
- Nielsen, T.S. and Hansen, K.B. (2007), 'Do green areas affect health? Results from a Danish survey on the use of green areas and health indicators', *Health and Place*, **13**, 839–50.
- Norback, D., Bjornsson, E., Janson, C., Widstrom, J. and Boman, G. (1995), 'Asthmatic symptoms and volatile organic compounds,

- formaldehyde, and carbon dioxide in dwellings', *Occupational and Environmental Medicine*, **52**, 388–95.
- Norberg-Schulz, C. (1971), *Existence, Space, and Architecture*, New York: Praeger.
- Nordling, E., Berglind, N., Melén, E., Emenius, G., Hallberg, J., Nyberg, F., Pershagen, G., Svartengren, M., Wickman, M. and Bellander, T. (2008), 'Traffic-related air pollution and childhood respiratory symptoms, function and allergies', *Epidemiology*, **19**, 401–08.
- Norman, G.J., Nutter, S.K., Ryan, S., Sallis, J.F., Calfas, K.J. and Patrick, K. (2006), 'Community design and access to recreational facilities as correlates of adolescent physical activity and body-mass index', *Journal of Physical Activity and Health*, **3**, S118–28.
- Norris, T. and Pittman, M. (2000), 'The Healthy Communities movement and the coalition for healthier cities and communities', *Public Health Reports*, **115**, 118–24.
- Northridge, M.E., Sclar, E.D. and Biswas, P. (2003), 'Sorting out the connections between the built environment and health: a conceptual framework for navigating pathways and planning healthy cities', *Journal of Urban Health*, **80**, 556–68.
- Oakes, J.M. (2004), 'The (mis)estimation of neighborhood effects: causal inference for a practicable social epidemiology', *Social Science and Medicine*, **58**, 1929–52.
- Obasanjo, O.O. (1999), 'The impact of the physical environment on adolescents in the inner city', doctoral dissertation, University of Michigan, Ann Arbor.
- O'Campo, P. (2003), 'Invited commentary: advancing theory and methods for multilevel models of residential neighborhoods and health', *American Journal of Epidemiology*, **157**, 9–13.
- Oda, M., Taniguchi, K., Wen, M. and Higurashi, M. (1989), 'Effects of high-rise living on physical and mental development of children', *Journal of Human Ergology*, **18**, 231–5.
- Office of Population Censuses and Surveys (OPCS) (1980), *Classification of Occupations*, London: HMSO.
- Oftedal, B., Nafstad, P., Magnus, P., Bjoørkly, S. and Skrandal, A. (2003), 'Traffic related air pollution and acute hospital admission for respiratory diseases in Drammen, Norway 1995–2000', *European Journal of Epidemiology*, **18**, 671–5.
- Ogden, C.L., Yanovski, S.Z., Carroll, M.D. and Flegal, K.M. (2007), 'The epidemiology of obesity', *Gastroenterology*, **132**, 2087–2102.
- Ohar, J., Sterling, D.A., Bleecker, E. and Donohue, J. (2004), 'Changing patterns in asbestos-induced lung disease', *Chest*, **125**, 744–53.
- Oja, P., Vuori, I. and Paronen, O. (1998), 'Daily walking and cycling

- to work: their utility as health-enhancing physical activity', *Patient Education and Counseling*, **33**, S87–94.
- Önder, D.E. and Gigi, Y. (2010), 'Reading urban spaces by the space-syntax method: a proposal for the South Haliç Region', *Cities*, **27**, 260–71.
- Ordnance Survey UK (2011), 'OS MasterMap Address Layer 2: technical specification, v1.6 – 01/2011', available at: <http://www.ordnancesurvey.co.uk/oswebsite/products/os-mastermap/address-layer-2/index.html> (accessed 15 February 2011).
- Orford, S., Dorling, D., Mitchell, R., Shaw, M. and Smith, G.D. (2002), 'Life and death of the people of London: a historical GIS of Charles Booth's inquiry', *Health and Place*, **8**, 25–35.
- Ortega-Andeane, P., Jiménez-Rosas, E., Mercado-Doménech, S. and Estrada-Rodríguez, C. (2005), 'Space syntax as a determinant of spatial orientation perception', *International Journal of Psychology*, **40**, 11–18.
- Osborn, F.J. and Whittick, A. (1977), *New Towns: Their Origins, Achievements and Progress*, London: International Textbook Company.
- Ott, W.R. and Roberts, J.W. (1998), 'Everyday exposure to toxic pollutants', *Scientific American*, **278**, 86–91.
- Owen, N., De Bourdeaudhuij, I., Sugiyama, T., Leslie, E., Cerin, E., Van Dyck, D. and Bauman, A. (2010), 'Bicycle use for transport in an Australian and a Belgian city: associations with built-environment attributes', *Journal of Urban Health*, **87**, 189–98.
- Packer, C.N., Stewart-Brown, S. and Fowle, S.E. (1994), 'Damp housing and adult health: results from a lifestyle study in Worcester, England', *Journal of Epidemiology and Community Health*, **48**, 555–9.
- Paine, T. (2005), 'The meaning of health', *British Journal of General Practice*, **55**, 554.
- Pan, S.Y., Cameron, C., Desmeules, M., Morrison, H., Craig, C.L. and Jiang, X. (2009), 'Individual, social, environmental, and physical environmental correlates with physical activity among Canadians: a cross-sectional study', *BMC Public Health*, **9**.
- Papas, M.A., Alberg, A.J., Ewing, R., Helzlsouer, K.J., Gary, T.L. and Klassen, A.C. (2007), 'The built environment and obesity', *Epidemiologic Reviews*, **29**, 129–43.
- Paquet, C., Cargo, M., Kestens, Y. and Daniel, M. (2010), 'Reliability of an instrument for direct observation of urban neighbourhoods', *Landscape and Urban Planning*, **97**, 194–201.
- Parra, D.C., Gomez, L.F., Sarmiento, O.L., Buchner, D., Brownson, R., Schmid, T., Gomez, V. and Lobelo, F. (2010), 'Perceived and objective neighbourhood environment attributes and health related quality of life among the elderly in Bogotá, Colombia', *Social Science and Medicine*, **70**, 1070–76.

- Partonen, T. and Lönngqvist, J. (1998), 'Seasonal affective disorder', *Lancet*, **352**, 1369–74.
- Passchier-Vermeer, W. and Passchier, W.F. (2000), 'Noise exposure and public health', *Environmental Health Perspectives*, **108**, 123–31.
- Patterson, P.K. and Chapman, N.J. (2004), 'Urban form and older residents' service use, walking, driving, quality of life, and neighborhood satisfaction', *American Journal of Health Promotion*, **19**, 45–52.
- Patz, J.A., Campbell-Lendrum, D., Holloway, T. and Foley, J.A. (2005), 'Impact of regional climate change on human health', *Nature*, **438**, 310–17.
- Pearce, J., Witten, K. and Bartie, P. (2006), 'Neighbourhoods and health: a GIS approach to measuring community resource accessibility', *Journal of Epidemiology and Community Health*, **60**, 389–95.
- Pearce, N. (1996), 'Traditional epidemiology, modern epidemiology, and public health', *American Journal of Public Health*, **86**, 678–83.
- Pearce, N. (2000), 'The ecological fallacy strikes back', *Journal of Epidemiology and Community Health*, **54**, 326–7.
- Pearce, N. and Merletti, F. (2006), 'Complexity, simplicity, and epidemiology', *International Journal of Epidemiology*, **35**, 515–19.
- Peponis, J., Ross, C. and Rashid, M. (1997), 'The structure of urban space, movement and co-presence: the case of Atlanta', *Geoforum*, **28**, 341–58.
- Perera, F.P. and Weinstein, I.B. (1982), 'Molecular epidemiology and carcinogen-DNA adduct detection: new approaches to studies of human cancer causation', *Journal of Chronic Diseases*, **35**, 581–600.
- Perera, F.P. and Weinstein, I.B. (2000), 'Molecular epidemiology: recent advances and future directions', *Carcinogenesis*, **21**, 517–24.
- Perkins, D., Meeks, J. and Taylor, R. (1992), 'The physical environment of street blocks and resident perceptions of crime and disorder: implications for theory and measurement', *Journal of Environmental Psychology*, **12**, 21–34.
- Perkins, D., Wandersman, A.H., Rich, R.C. and Taylor, R.B. (1993), 'The physical environment of street crime: defensible space, territoriality and incivilities', *Journal of Environmental Psychology*, **13**, 29–49.
- Perry, C.A. (1929a), 'City planning for neighborhood life', *Social Forces*, **8**, 98.
- Perry, C.A. (1929b), *The Neighborhood Unit: A Scheme of Arrangement for the Family-Life Community*, Regional Study of New York and Its Environs, vol. VII, pp.2–140, New York: Regional Plan of New York and Its Environs.
- Peterson, J. (2003), *The Birth of City Planning in the United States, 1840–1917*, Baltimore, MD: Johns Hopkins University Press.
- Petty, W. and Hull, C.H. (eds) (1899), *The Economic Writings of Sir William*

- Petty, together with the Observations upon the Bills of Mortality More Probably by Captain John Graunt*, Cambridge: Cambridge University Press.
- Phipatanakul, W., Eggleston, P.A., Wright, E.C. and Wood, R.A. (2000), 'Mouse allergen. II. The relationship of mouse allergen exposure to mouse sensitization and asthma morbidity in inner-city children with asthma', *Journal of Allergy and Clinical Immunology*, **106**, 1075–80.
- Pickett, K.E. and Pearl, M. (2001), 'Multilevel analyses of neighbourhood socioeconomic context and health outcomes: a critical review', *Journal of Epidemiology and Community Health*, **55**, 111–22.
- Pikora, T.J., Bull, F.C., Jamrozik, K., Knuiiman, M., Giles-Corti, B. and Donovan, R.J. (2002), 'Developing a reliable audit instrument to measure the physical environment for physical activity', *American Journal of Preventive Medicine*, **23**, 187.
- Pi-Sunyer, F. Xavier (2002), 'The medical risks of obesity', *Obesity Surgery*, **12**, 6S–11S.
- Platt, S.D., Martin, C.J., Hunt, S.M. and Lewis, C.W. (1989), 'Damp housing, mould growth, and symptomatic health state', *British Medical Journal*, **298**, 1673–8.
- Platt, S.D., Martin, C.J. and Hunt, S.M. (1990), 'The mental health of women with children living in deprived areas of Great Britain: the role of living conditions, poverty and unemployment', in D. Goldberg and D. Tantom (eds), *The Public Health Impact of Mental Disorder*, Göttingen: Hogrefe & Huber.
- Pollack, C.E. and Knesebeck, O. von dem (2004), 'Social capital and health among the aged: comparisons between the United States and Germany', *Health and Place*, **10**, 383–91.
- Pollard, W.L. (1931), 'Outline of the law of zoning in the United States', *Annals of the American Academy of Political and Social Science*, **155**, 15–33.
- Porta, S., Crucitti, P. and Latora, V. (2006), 'The network analysis of urban streets: a dual approach', *Physica A: Statistical Mechanics and Its Applications*, **369**, 853–66.
- Pouliou, T. and Elliott, S.J. (2010), 'Individual and socio-environmental determinants of overweight and obesity in urban Canada', *Health and Place*, **16**, 389–98.
- Pretty, J., Peacock, J., Sellens, M. and Griffin, M. (2005), 'The mental and physical health outcomes of green exercise', *International Journal of Environmental Health Research*, **15**, 319–37.
- Prince, M., Patel, V., Saxena, S., Maj, M., Maselko, J., Phillips, M.R. and Rahman, A. (2007), 'No health without mental health', *Lancet*, **370**, 859–77.

- Propper, C., Jones, K., Bolster, A., Burgess, S., Johnston, R. and Sarker, R. (2005), 'Local neighbourhood and mental health: evidence from the UK', *Social Science and Medicine*, **61**, 2065–83.
- Public Health Advisory Committee (2008), *Re-thinking Urban Environments and Health*, Wellington, New Zealand: Public Health Advisory Committee.
- Pucher, J., Buehler, R., Bassett, D.R. and Dannenberg, A.L. (2010), 'Walking and cycling to health: a comparative analysis of city, state, and international data', *American Journal of Public Health*, **100**, 1986–92.
- Pujades-Rodríguez, M., McKeever, T., Lewis, S., Whyatt, D., Britton, J. and Venn, A. (2009), 'Effect of traffic pollution on respiratory and allergic disease in adults: cross-sectional and longitudinal analyses', *BMC Pulmonary Medicine*, **9**, 42.
- Radford, N., Chiaradia, A. and Jorge, G. (2007), 'Space syntax: the role of urban form in cyclist route choice in Central London', Paper UCB-TSC-TR-2007-5, Safe Transportation Research and Education Center, Institute of Transportation Studies, University of California, Berkeley, available at: <http://escholarship.org/uc/item/8qz8m4fz>.
- Raffestin, C. and Lawrence, R. (1990), 'Ecological perspective on housing, health and well-being', *Journal of Sociology and Social Welfare*, **17**, 143–60.
- Raford, N. and Ragland, D. (2004), 'Space syntax: innovative pedestrian volume modeling tool for pedestrian safety', *Transportation Research Record*, **1878**, 66–74.
- Raleigh, V.S. and Kiri, V.A. (1997), 'Life expectancy in England: variations and trends by gender, health authority, and level of deprivation', *Journal of Epidemiology and Community Health*, **51**, 649–58.
- Ramirez, L.K.B., Hoehner, C.M., Brownson, R.C., Cook, R., Orleans, C.T., Hollander, M., Barker, D.C., Bors, P., Ewing, R. and Killingsworth, R. (2006), 'Indicators of activity-friendly communities', *American Journal of Preventive Medicine*, **31**, 515–24.
- Rand, G. (1984), 'Crime and environment: a review of the literature and its implications for urban architecture and planning', *Journal of Architectural and Planning Research*, **1**, 3–19.
- Raschke, F. (2004), 'Arousals and aircraft noise – environmental disorders of sleep and health in terms of sleep medicine', *Noise and Health*, **6**, 15–26.
- Ratti, C. (2004), 'Urban texture and space syntax – some inconsistencies', *Environment and Planning B: Planning and Design*, **31**, 487–99.
- Raw, G.J., Aizlewood, C.E. and Hamilton, R.M. (eds) (2001), *Building Regulation, Health and Safety: A Report Concerning the Influence on the Health and Safety of Building Users of Fabric and Services Controlled*

- or Controllable by Regulation of Buildings*, report for Building Research Establishment, London: Construction Research Communications.
- Reeder, L. (1972), 'Social epidemiology: an appraisal', in E.G. Jaco (ed.), *Patients, Physicians and Illness: A Sourcebook in Behavioral Science and Health*, 2nd edn, New York: Free Press.
- Richard, L., Gauvin, L., Gosselin, C. and Laforest, S. (2009), 'Staying connected: neighbourhood correlates of social participation among older adults living in an urban environment in Montreal, Quebec', *Health Promotion International*, **24**, 46–57.
- Richardson, H.W. (1978), *Regional and Urban Economics*, London: Penguin Books.
- Richman, N. (1977), 'Behaviour problems in pre-school children: family and social factors', *British Journal of Psychiatry*, **131**, 523–7.
- Riley, M.W. (1963), *Sociological Research*, New York: Harcourt, Brace & World.
- Roberts, J.W. and Dickey, P. (1995), 'Exposure of children to pollutants in house dust and indoor air', *Reviews of Environmental Contamination and Toxicology*, **143**, 59–78.
- Robinson, W.S. (2011), 'Ecological correlations and the behavior of individuals', *International Journal of Epidemiology*, **40**, 1134, reprinted from *American Sociological Review*, **15**, 351–7.
- Rockwood, K., Song, X., MacKnight, C., Bergman, H., Hogan, D.B., McDowell, I. and Mitnitski, A. (2005), 'A global clinical measure of fitness and frailty in elderly people', *Canadian Medical Association Journal*, **173**, 489–95.
- Rodin, J. (1977), 'Crowding, perceived choice, and response to controllable and uncontrollable outcomes', *Journal of Experimental Social Psychology*, **12**, 564–78.
- Röösli, M. (2008), 'Radiofrequency electromagnetic field exposure and non-specific symptoms of ill health: a systematic review', *Environmental Research*, **107**, 277–87.
- Rose, G. (1985), 'Sick individuals and sick populations', *International Journal of Epidemiology*, **14**, 32–8.
- Rose, G. (1992), *The Strategy of Preventive Medicine*, Oxford: Oxford University Press.
- Rose, G. (2001), 'Sick individuals and sick populations', *International Journal of Epidemiology*, **30**, 427–32.
- Rosen, G. (1947), 'What is social medicine? A genetic analysis of the concept', *Bulletin of the History of Medicine*, **21**, 674–733.
- Rosen, G. (1958), *A History of Public Health*, New York: MD Publications.
- Rosen, G. (1973), 'Health, history and the social sciences', *Social Science and Medicine*, **7**, 233–48.

- Rosenstreich, D.L., Eggleston, P., Kattan, M., Baker, D., Slavin, R.G., Gergen, P., Mitchell, H., McNiff-Mortimer, K., Lynn, H., Ownby, D. and Malveaux, F. (1997), 'The role of cockroach allergy and exposure to cockroach allergen in causing morbidity among inner-city children with asthma', *New England Journal of Medicine*, **336**, 1356–63.
- Rosenthal, N.E., Sack, D.A. and Carpenter, C.J. (1985), 'Antidepressant effects of light in seasonal affective disorder', *American Journal of Psychiatry*, **142**, 163–70.
- Ross, C.L. and Dunning, A.E. (1997), *Land Use Transportation Interaction: An Examination of the 1995 NPTS Data*, Atlanta, GA: US Department of Transportation, Federal Highway Administration.
- Rossum, E. van, Frederiks, C., Philipsen, H., Portengen, K., Wiskerke, J. and Knipschild, P. (1993), 'Effects of preventive home visits to elderly people', *British Medical Journal*, **307**, 27–32.
- Rothman, R.A. (1992), *Inequality and Stratification: Class, Color, and Gender*, Englewood Cliffs, NJ: Prentice Hall.
- Roubenoff, R. (2004), 'Sarcopenic obesity: the confluence of two epidemics', *Obesity Research*, **12**, 887–8.
- RTPI (2009), *Delivering Healthy Communities*, RTPI Good Practice Note 5, London: Royal Town Planning Institute, available at: www.rtpi.org.uk/item/325/23/5/3.
- Rudge, J. and Nicol, F. (2000), *Cutting the Cost of Cold: Affordable Warmth for Healthier Homes*, Abingdon: Routledge.
- Rumchev, K.B., Spickett, J.T., Bulsara, M.K., Phillips, M.R. and Stick, S.M. (2002), 'Domestic exposure to formaldehyde significantly increases the risk of asthma in young children', *European Respiratory Journal*, **20**, 403–08.
- Rundle, A., Diez Roux, A.V., Freeman, L.M., Miller, D., Neckerman, K.M. and Weiss, C.C. (2007), 'The urban built environment and obesity in New York City: a multilevel analysis', *American Journal of Health Promotion*, **21**, 326–34.
- Rutt, C.D. and Coleman, K.J. (2005), 'Examining the relationships among built environment, physical activity, and body mass index in El Paso, TX', *Preventive Medicine*, **40**, 831–41.
- Ryan, D., Levy, B., Pollack, S. and Walker, B., Jr (1999), 'Protecting children from lead poisoning and building healthy communities', *American Journal of Public Health*, **89**, 822–4.
- Rydin, Y., Bleahu, A., Davies, M., Dávila, J.D., Friel, S., De Grandis, G., Groce, N., Hallal, P.C., Hamilton, I. and Howden-Chapman, P. (2012), 'Shaping cities for health: complexity and the planning of urban environments in the 21st century', *Lancet*, **379**, 2079–2108.
- Ryle, J.A. (1948), *Changing Disciplines: Lectures on the History, Method, and Motives of Social Pathology*, London: Oxford University Press.

- Saarloos, D., Alfonso, H., Giles-Corti, B., Middleton, N. and Almeida, O.P. (2011), 'The built environment and depression in later life: the Health in Men Study', *American Journal of Geriatric Psychiatry*, **19**, 461–70.
- Saegert, S. (1982a), 'Environment and children's mental health: residential density and low income children', *Handbook of Psychology and Health*, **2**, 247–71.
- Saegert, S. (1982b), 'Environments and children's mental health: residential density and low income children', in A. Baum and J.E. Singer (eds), *Handbook of Psychology and Health*, Hillsdale, NJ: Erlbaum.
- Saelens, B.E. and Handy, S.L. (2008), 'Built environment correlates of walking: a review', *Medicine and Science in Sports and Exercise*, **40**, S550–66.
- Saelens, B.E., Sallis, J.F., Black, J.B. and Chen, D. (2003), 'Neighborhood-based differences in physical activity: an environment scale evaluation', *American Journal of Public Health*, **93**, 1552–8.
- Saelens, B.E., Sallis, J.F. and Frank, L.D. (2003), 'Environmental correlates of walking and cycling: findings from the transportation, urban design, and planning literatures', *Annals of Behavioral Medicine*, **25**, 80–91.
- Sallis, J.F., Hovell, M.F., Hofstetter, C.R., Elder, J.P., Hackley, M., Caspersen, C.J. and Powell, K.E. (1990), 'Distance between homes and exercise facilities related to frequency of exercise among San Diego residents', *Public Health Reports*, **105**, 179–85.
- Sallis, J.F., Frank, L.D., Saelens, B.E. and Kraft, M.K. (2004), 'Active transportation and physical activity: opportunities for collaboration on transportation and public health research', *Transportation Research Part A: Policy and Practice*, **38**, 249–68.
- Sallis, J.F., Bowles, H.R., Bauman, A., Ainsworth, B.E., Bull, F.C., Craig, C.L., Sjöström, M., De Bourdeaudhuij, I., Lefevre, J., Matsudo, V., Matsudo, S., Macfarlane, D.J., Gomez, L.F., Inoue, S., Murase, N., Volbekiene, V., McLean, G., Carr, H., Heggebo, L.K., Tomten, H. and Bergman, P. (2009), 'Neighborhood environments and physical activity among adults in 11 countries', *American Journal of Preventive Medicine*, **36**, 484–90.
- Sallis, J.F., Saelens, B.E., Frank, L.D., Conway, T.L., Slymen, D.J., Cain, K.L., Chapman, J.E. and Kerr, J. (2009), 'Neighborhood built environment and income: examining multiple health outcomes', *Social Science and Medicine*, **68**, 1285–93.
- Sallis, J.F., Floyd, M.F., Rodríguez, D.A. and Saelens, B.E. (2012), 'Role of built environments in physical activity, obesity, and cardiovascular disease', *Circulation*, **125**, 729–37.
- Salome, C.M., Marks, G.B., Savides, P., Xuan, W. and Woolcock, A.J.

- (2000), 'The effect of insecticide aerosols on lung function, airway responsiveness and symptoms in asthmatic subjects', *European Respiratory Journal*, **16**, 38–43.
- Samimi, A. and Mohammadian, A.K. (2009), 'Health impacts of urban development and transportation systems', *Journal of Urban Planning and Development*, **136**, 208–13.
- Sampson, R.J., Raudenbush, S.W. and Earls, F. (1997), 'Neighborhoods and violent crime: a multilevel study of collective efficacy', *Science*, **277**, 918–24.
- Santana, P., Santos, R. and Nogueira, H. (2009), 'The link between local environment and obesity: a multilevel analysis in the Lisbon Metropolitan Area, Portugal', *Social Science and Medicine*, **68**, 601–09.
- Sargent, J.D., Brown, M.J., Freeman, J.L., Bailey, A., Goodman, D. and Freeman D.H., Jr (1995), 'Childhood lead poisoning in Massachusetts communities: its association with sociodemographic and housing characteristics', *American Journal of Public Health*, **85**, 528–34.
- Sarkar, C. (2013), 'The science of healthy cities: deciphering the associations between urban morphometrics and health outcomes', Ph.D. thesis, Cardiff University.
- Sarkar, C., Gallacher, J. and Webster, C. (2013a), 'Built environment configuration and change in body mass index: the Caerphilly Prospective Study (CaPS)', *Health and Place*, **19**, 33–44.
- Sarkar, C., Gallacher, J. and Webster, C. (2013b), 'Urban built environment configuration and psychological distress in older men: results from the Caerphilly study', *BMC Public Health*, **13**, 695.
- Savitz, D.A. (1994), 'In defense of black box epidemiology', *Epidemiology*, **5**, 550–52.
- Schelling, T.C. (1971), 'Dynamic models of segregation', *Journal of Mathematical Sociology*, **1**, 143–86.
- Schelling, T.C. (2006), *Micromotives and Macrobehavior*, New York: W.W. Norton & Co.
- Schlesselman, J.J. (1982), *Case-Control Studies: Design, Conduct, Analysis*, New York: Oxford University Press.
- Schwartz, J. (1988), 'The relationship between blood lead and blood pressure in the NHANES II survey', *Environmental Health Perspectives*, **78**, 15–22.
- Schwartz, S., Susser, E. and Susser, M. (1999), 'A future for epidemiology?', *Annual Review of Public Health*, **20**, 15–33.
- Scotch, N.A. and Gierger, H.J. (1963), 'The epidemiology of essential hypertension II: psychologic and sociocultural factors in etiology', *Journal of Chronic Diseases*, **16**, 1183–1212.

- Segal, D. (1976), 'Are there returns to scale in city size?', *Review of Economics and Statistics*, **58**, 339–50.
- Self, P. (1972), 'Introduction', in H. Evans (ed.), *New Towns: The British Experience*, London: Charles Knight & Co., for the Town and Country Planning Association.
- Seligman, M.E.P. (1975), *Helplessness*, San Francisco: Freeman.
- Selvin, H.C. (1958), 'Durkheim's suicide and problems of empirical research', *American Journal of Sociology*, **63**, 607–19.
- Sen, A. (2009), *The Idea of Justice*, London: Penguin Books.
- Shannon, C.E. and Weaver, W. (1949), *The Mathematical Theory of Communication*, Urbana: University of Illinois Press.
- Sharfstein, J., Sandel, M., Kahn, R. and Bauchner, H. (2001), 'Is child health at risk while families wait for housing vouchers?', *American Journal of Public Health*, **91**, 1191–2.
- Shields, P.G. and Harris, C.C. (1991), 'Molecular epidemiology and the genetics of environmental cancer', *Journal of the American Medical Association*, **266**, 681–7.
- Shouls, S., Congdon, P. and Curtis, S. (1996), 'Modelling inequality in reported long term illness in the UK: combining individual and area characteristics', *Journal of Epidemiology and Community Health*, **50**, 366–76.
- Shriver, K., Planner, T. and Council, B. (2003), 'A walkable places survey: approach and results', in *Transportation Research Board Annual Meeting, Washington DC*, 03–4081.
- Siegrist, J., Siegrist, K. and Weber, I. (1986), 'Sociological concepts in the etiology of chronic disease: the case of ischemic heart disease', *Social Science and Medicine*, **22**, 247–53.
- Sloggett, A. and Joshi, H. (1994), 'Higher mortality in deprived areas: community or personal disadvantage?', *British Medical Journal*, **309**, 1470–74.
- Sloggett, A. and Joshi, H. (1998), 'Deprivation indicators as predictors of life events 1981–1992 based on the UK ONS longitudinal study', *Journal of Epidemiology and Community Health*, **52**, 228–33.
- Smith, K.R. (2002), 'Indoor air pollution in developing countries: recommendations for research', *Indoor Air*, **12**, 198–207.
- Smith, K.R. and Mehta, S. (2003), 'The burden of disease from indoor air pollution in developing countries: comparison of estimates', *International Journal of Hygiene and Environmental Health*, **206**, 279–89.
- Smith, K.R., Brown, B.B., Yamada, I., Kowaleski-Jones, L., Zick, C.D. and Fan, J.X. (2008), 'Walkability and body mass index: density, design, and new diversity measures', *American Journal of Preventive Medicine*, **35**, 237–44.

- Snow, J. (1853), *On Continuous Molecular Changes, More Particular in Their Relation to Epidemic Diseases: Being the Oration Delivered at the 80th Anniversary of the Medical Society of London*, London: John Churchill, reprinted in *Reviews of Infectious Diseases*, 1985, **7** (3), 441–7.
- Snow, J. (1936), 'On the mode of communication of cholera', 2nd edn, in *Snow on Cholera*, reprint, New York: Commonwealth Fund.
- Song, Y., Gee, G.C., Fan, Y. and Takeuchi, D.T. (2007), 'Do physical neighborhood characteristics matter in predicting traffic stress and health outcomes?', *Transportation Research Part F: Traffic Psychology and Behaviour*, **10**, 164–76.
- Sport England (2007), *Active Design: Promoting Opportunities for Sport and Physical Activity through Good Design*, study supported by CABE, Department of Health and Department for Culture, Media and Sport, London: Sport England.
- Srinath Reddy, K., Shah, B., Varghese, C. and Ramadoss, A. (2005), 'Responding to the threat of chronic diseases in India', *Lancet*, **366**, 1744–9.
- SS&CM (School of Social and Community Medicine, University of Bristol) (2007), 'Caerphilly Prospective Study', available at: <http://www.bris.ac.uk/social-community-medicine/projects/caerphilly/about/> (accessed 10 June 2010).
- Stafford, M. and Marmot, M. (2003), 'Neighbourhood deprivation and health: does it affect us all equally?', *International Journal of Epidemiology*, **32**, 357–66.
- Stafford, M., Chandola, T. and Marmot, M. (2007), 'Association between fear of crime and mental health and physical functioning', *American Journal of Public Health*, **97**, 2076–81.
- Stafford, M., Cummins, S., Ellaway, A., Sacker, A., Wiggins, R.D. and Macintyre, S. (2007), 'Pathways to obesity: identifying local, modifiable determinants of physical activity and diet', *Social Science and Medicine*, **65**, 1882–97.
- Stamler, J. (1967), *Lectures in Preventive Cardiology*, New York: Grune & Stratton.
- Stansfeld, S.A. and Matheson, M.P. (2003), 'Noise pollution: non-auditory effects on health', *British Medical Bulletin*, **68**, 243–57.
- Stansfeld, S.A., Gallacher, J.E.J., Sharp, D.S. and Yarnell, J.W.G. (1991), 'Social factors and minor psychiatric disorder in middle-aged men: a validation study and a population survey', *Psychological Medicine*, **21**, 157–67.
- Stansfeld, S., Gallacher, J., Babisch, W. and Shipley, M. (1996), 'Road traffic noise and psychiatric disorder: prospective findings from the Caerphilly study', *British Medical Journal*, **313**, 266–7.

- Stansfeld, S., Haines, M. and Brown, B. (2000), 'Noise and health in the urban environment', *Reviews on Environmental Health*, **15**, 43–82.
- Stansfeld, S.A., Berglund, B., Clark, C., Lopez-Barrio, I., Fischer, P., Öhrström, E., Haines, M.M., Head, J., Hygge, S., Kamp, I. van and Berry, B.F. (2005), 'Aircraft and road traffic noise and children's cognition and health: a cross-national study', *Lancet*, **365**, 1942–9.
- Stein, L. (1950), 'A study of respiratory tuberculosis in relation to housing conditions in Edinburgh. I. The pre-war period', *British Journal of Social Medicine*, **4**, 143–69.
- Stevens, J., Cai, J., Pamuk, E.R., Williamson, D.F., Thun, M.J. and Wood, J.L. (1998), 'The effect of age on the association between body-mass index and mortality', *New England Journal of Medicine*, **338**, 1–7.
- Stewart, G.T. (1968), 'Limitations of the germ theory', *Lancet*, **1**, 1077–81.
- Stewart, W.F.R. (1970), *Children in Flats: A Family Study*, London: National Society for the Prevention of Cruelty to Children.
- Stokols, D. (1976), 'The experience of crowding in primary and secondary environments', *Environment and Behavior*, **8**, 49–86.
- Stokols, D. (1978), 'A typology of crowding experiences', in A. Baum and Y. Epstein (eds), *Human Response to Crowding*, New York: John Wiley & Sons.
- Strachan, D.P. and Cook, D.G. (1997), 'Health effects of passive smoking. 1. Parental smoking and lower respiratory illness in infancy and early childhood', *Thorax*, **52**, 905–14.
- Strachan, D.P. and Cook, D.G. (1998), 'Parental smoking and childhood asthma: longitudinal and case-control studies', *Thorax*, **53**, 204–12.
- Strawbridge, W.J., Deleger, S., Roberts, R.E. and Kaplan, G.A. (2002), 'Physical activity reduces the risk of subsequent depression for older adults', *American Journal of Epidemiology*, **156**, 328–34.
- Subramanian, S.V., Kubzansky, L., Berkman, L., Fay, M. and Kawachi, I. (2006), 'Neighborhood effects on the self-rated health of elders: uncovering the relative importance of structural and service-related neighborhood environments', *Journals of Gerontology, Series B: Psychological Sciences and Social Sciences*, **61**, S153–60.
- Sugiyama, T., Leslie, E., Giles-Corti, B. and Owen, N. (2008), 'Associations of neighbourhood greenness with physical and mental health: do walking, social coherence and local social interaction explain the relationships?', *Journal of Epidemiology and Community Health*, **62**.
- Summerbell, C.D., Douthwaite, W., Whittaker, V., Ells, L.J., Hillier, F., Smith, S., Kelly, S., Edmunds, L.D. and Macdonald, I. (2009), 'The association between diet and physical activity and subsequent excess weight gain and obesity assessed at 5 years of age or older: a systematic

- review of the epidemiological evidence', *International Journal of Obesity*, **33**, Suppl. 3, S1–92.
- Sundquist, K., Winkleby, M., Ahlén, H. and Johansson, S.E. (2004), 'Neighborhood socioeconomic environment and incidence of coronary heart disease: a follow-up study of 25,319 women and men in Sweden', *American Journal of Epidemiology*, **159**, 655–62.
- Susser, M. (1991), 'What is a cause and how do we know one? A grammar for pragmatic epidemiology', *American Journal of Epidemiology*, **133**, 635–48.
- Susser, M. (1993), 'Health as a human right: an epidemiologist's perspective on the public health', *American Journal of Public Health*, **83**, 418–26.
- Susser, M. (1994a), 'The logic in ecological. I. The logic of analysis', *American Journal of Public Health*, **84**, 825–9.
- Susser, M. (1994b), 'The logic in ecological. II. The logic of design', *American Journal of Public Health*, **84**, 830–35.
- Susser, M. (1998), 'Does risk factor epidemiology put epidemiology at risk? Peering into the future', *Journal of Epidemiology and Community Health*, **52**, 608–11.
- Susser, M. and Susser, E. (1996a), 'Choosing a future for epidemiology. I. Eras and paradigms', *American Journal of Public Health*, **86**, 668–73.
- Susser, M. and Susser, E. (1996b), 'Choosing a future for epidemiology. II. From black box to Chinese boxes and eco-epidemiology', *American Journal of Public Health*, **86**, 674–7.
- Szreter, S. and Mooney, G. (1998), 'Urbanization, mortality, and the standard of living debate: new estimates of the expectation of life at birth in nineteenth-century British cities', *Economic History Review*, **51**, 84–112.
- Takano, T., Nakamura, K. and Watanabe, M. (2002), 'Urban residential environments and senior citizens' longevity in megacity areas: the importance of walkable green spaces', *Journal of Epidemiology and Community Health*, **56**, 913–18.
- Talbot, J. (1998), 'Health and environment', Town and Country Planning Summer School, University of York, York.
- Talen, E. (1999), 'Sense of community and neighbourhood form: an assessment of the social doctrine of new urbanism', *Urban Studies*, **36**, 1361–79.
- Tan, J., Zheng, Y., Tang, X., Guo, C., Li, L., Song, G., Zhen, X., Yuan, D., Kalkstein, A.J. and Li, F. (2010), 'The urban heat island and its impact on heat waves and human health in Shanghai', *International Journal of Biometeorology*, **54**, 75–84.
- Taubes, G. (1995), 'Epidemiology faces its limits', *Science*, **269**, 164–7.
- Taylor, R.B. (1988), *Human Territorial Functioning*, New York: Cambridge University Press.

- Taylor, R.B. and Harrell, A.V. (1996), *Physical Environment and Crime*, Rockville, MD: National Institute of Justice, US Department of Justice, available at: <https://www.ncjrs.gov/App/Publications/abstract.aspx?ID=157311>.
- Taylor, S.M. (1984), 'A path model of aircraft noise annoyance', *Journal of Sound and Vibration*, **96**, 243–60.
- Terris, M.E. (1964), *Goldberger on Pellagra*, Baton Rouge: Louisiana State University Press.
- Thoerell, T. (1981), 'Life events, job stress and coronary heart disease', in J. Siegrist and M.J. Hulhuber (eds), *Myocardial Infarction and Psychosocial Risks*, Berlin: Springer.
- Thomas, C.M. and Morris, S. (2003), 'Cost of depression among adults in England in 2000', *British Journal of Psychiatry*, **183**, 514–19.
- Thomas, H., Weaver, N., Patterson, J., Jones, P., Bell, T., Playle, R., Dunstan, F., Palmer, S., Lewis, G. and Araya, R. (2007), 'Mental health and quality of residential environment', *British Journal of Psychiatry*, **191**, 500–505.
- Thorndike, E.L. (1939), 'On the fallacy of imputing the correlations found for groups to the individuals or smaller groups composing them', *American Journal of Psychology*, **52**, 122–4.
- Thun, M., Henley, J. and Apicella, L. (1999), 'Epidemiologic studies of fatal and nonfatal cardiovascular disease and ETS exposure from spousal smoking', *Environmental Health Perspectives*, **107**, 841–6.
- Tilt, J.H., Unfried, T.M. and Roca, B. (2007), 'Using objective and subjective measures of neighborhood greenness and accessible destinations for understanding walking trips and BMI in Seattle, Washington', *American Journal of Health Promotion*, **21**, 371–9.
- Timperio, A., Salmon, J., Telford, A. and Crawford, D. (2005), 'Perceptions of local neighbourhood environments and their relationship to childhood overweight and obesity', *International Journal of Obesity*, **29**, 170–75.
- Tinetti, M.E. and Fried, T. (2004), 'The end of the disease era', *American Journal of Medicine*, **116**, 179–85.
- Townsend, P., Davidson, N. and Whitehead, M. (1992), *Inequalities in Health and the Health Divide*, Harmondsworth: Penguin Books.
- Townshend, T. and Lake, A.A. (2009), 'Obesogenic urban form: theory, policy and practice', *Health and Place*, **15**, 909–16.
- Tripp, H.A. (1942), *Town Planning and Road Traffic*, London: Edward Arnold.
- Troped, P.J., Wilson, J.S., Matthews, C.E., Cromley, E.K. and Melly, S.J. (2010), 'The built environment and location-based physical activity', *American Journal of Preventive Medicine*, **38**, 429–38.

- Tsourou, C. (1998), 'Urban planning and health: implications of the WHO strategy for all for urban planning in Europe', Ph.D. thesis, Venice Institute of Architecture, University of Venice.
- Turner, A. (2000), 'Angular analysis', in *Proceedings of the 3rd International Space Syntax Symposium*, Georgia Institute of Technology, Atlanta.
- Turner, A. (2005), 'Could a road-centre line be an axial line in disguise?', in *Proceedings of the 5th International Space Syntax Symposium*, Delft University of Technology, Delft.
- Turner, A. (2007), 'From axial to road-centre lines: a new representation for space syntax and a new model of route choice for transport network analysis', *Environment and Planning B: Planning and Design*, **34**, 539–55.
- Tyroler, H.A. and Cassel, J. (1964), 'Health consequences of culture change. II. The effect of urbanization on coronary heart mortality in rural residents', *Journal of Chronic Diseases*, **17**, 167–77.
- UK Biobank (2007), 'UK Biobank: protocol for a large-scale prospective epidemiological resource', available at: <http://www.ukbiobank.ac.uk/wp-content/uploads/2011/11/UK-Biobank-Protocol.pdf>.
- Ulrich, R.S. (1984), 'View through a window may influence recovery from surgery', *Science*, **224**, 420–21.
- UNFPA (2007), *State of the World Population 2007: Unleashing the Potential of Urban Growth*, New York: United Nations Population Fund.
- Unilever (1976), *Port Sunlight Village*, Wirral, Merseyside: Unilever Services Company.
- United Nations (2010), *World Urbanization Prospects: The 2009 Revision*, New York: Population Division, Department of Economic and Social Affairs, United Nations.
- United Nations (2012), *World Urbanization Prospects: The 2011 Revision*, New York: Population Division, Department of Economic and Social Affairs, United Nations.
- United Nations Commission on Human Settlements (1996), *An Urbanizing World: Global Report on Human Settlements*, New York: Oxford University Press.
- United Nations Scientific Committee on the Effects of Atomic Radiation (2000), *Sources and Effects of Ionizing Radiation: UNSCEAR 2000 Report to the General Assembly, with Scientific Annexes*, vol. I, New York: United Nations.
- USDHHS (US Department of Health and Human Services) (1996), *A Report from the Surgeon General (Physical Activity and Health)*, Atlanta, GA: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, President's Council on Physical Fitness and Sports.

- USDHHS (US Department of Health and Human Services) (2006), *The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General*, Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, Coordinating Center for Health Promotion, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- USEPA (1992), *Respiratory Health Effects of Passive Smoking: Lung Cancer and Other Disorders*, EPA/600/6-90/006F, Washington, DC: US Environmental Protection Agency.
- Üstün, T.B., Ayuso-Mateos, J.L., Chatterji, S., Mathers, C. and Murray, C.J.L. (2004), 'Global burden of depressive disorders in the year 2000', *British Journal of Psychiatry*, **184**, 386–92.
- Vallarino, J.F. (2001), 'Fibers', in J.D. Spengler, J.M. Samet and J.F. McCarthy (eds), *Indoor Air Quality Handbook*, New York: McGraw-Hill.
- Vallery-Radot, R. and Devonshire, R.L. (1901), *The Life of Pasteur*, London: Constable.
- Vandenbroucke, J.P. (1988), 'Is "the causes of cancer" a miasma theory for the end of the twentieth century?', *International Journal of Epidemiology*, **17**, 708–09.
- Van de Poel, E., O'Donnell, O. and Van Doorslaer, E. (2012), 'Is there a health penalty of China's rapid urbanization?', *Health Economics*, **21**, 367–85.
- Van Dyck, D., Cardon, G., Deforche, B., Sallis, J.F., Owen, N. and De Bourdeaudhuij, I. (2010), 'Neighborhood SES and walkability are related to physical activity behavior in Belgian adults', *Preventive Medicine*, **50**, S74–9.
- Vaughan, J.W. and Platts-Mills, T.A.E. (2000), 'New approaches to environmental control', *Clinical Reviews in Allergy and Immunology*, **18**, 325–39.
- Vaughan, L. (2007), 'The spatial syntax of urban segregation', *Progress in Planning*, **67**, 205–94.
- Vlahov, D. and Galea, S. (2003), 'Urban health: a new discipline', *Lancet*, **362**, 1091–2.
- Vögele, J. (2000), 'Urbanization and the urban mortality change in Imperial Germany', *Health and Place*, **6**, 41–55.
- Volchenkov, D. and Blanchard, P. (2008), 'Scaling and universality in city space syntax: between Zipf and Matthew', *Physica A: Statistical Mechanics and Its Applications*, **387**, 2353–64.
- Von Korff, M., Koepsell, T., Curry, S. and Diehr, P. (1992), 'Multi-level analysis in epidemiologic research on health behaviors and outcomes', *American Journal of Epidemiology*, **135**, 1077–82.

- Vries, S. de, Verheij, R.A., Groenewegen, P.P. and Spreeuwenberg, P. (2003), 'Natural environments – healthy environments? An exploratory analysis of the relationship between greenspace and health', *Environment and Planning A*, **35**, 1717–31.
- Vuori, P.I. and Oja, P. (1999), *The Health Potential of Physical Activity through Transport by Walking and Cycling: A Scientific Review Prepared for the Charter on Transport, Environment and Health*, Copenhagen: World Health Organization.
- Wachs, T.D. and Gruen, G. (1982), *Early Experience and Human Development*, New York: Plenum.
- Waitzman, N.J. and Smith, K.R. (1998), 'Phantom of the area: poverty-area residence and mortality in the United States', *American Journal of Public Health*, **88**, 973–6.
- Walker, E. and Hay, A. (1999), 'Carbon monoxide poisoning', *British Medical Journal*, **319**, 1082–3.
- Wandersman, A. and Nation, M. (1998), 'Urban neighborhoods and mental health', *American Psychology*, **53**, 647–56.
- Wang, Y. Claire, McPherson, K., Marsh, T., Gortmaker, S.L. and Brown, M. (2011), 'Health and economic burden of the projected obesity trends in the USA and the UK', *Lancet*, **378**, 815–25.
- Wang, Youfa and Lobstein, T. (2006), 'Worldwide trends in childhood overweight and obesity', *International Journal of Pediatric Obesity*, **1**, 11–25.
- Warburton, D.E.R., Nicol, C.W. and Bredin, S.S.D. (2006), 'Health benefits of physical activity: the evidence', *Canadian Medical Association Journal*, **174**, 801–09.
- Webster, C. (2003), 'The Donald Robertson Memorial Prizewinner 2003: the nature of the neighbourhood', *Urban Studies*, **40**, 2591–612.
- Webster, C. (2010), 'Pricing accessibility: urban morphology, design and missing markets', *Progress in Planning*, **73**, 77–111.
- Webster, C. and Lai, L.W.C. (2003), *Property Rights, Planning and Markets: Managing Spontaneous Cities*, Cheltenham, UK and Northampton, MA, USA: Edward Elgar Publishing.
- Webster, P. and Lipp, A. (2009), 'The evolution of the WHO city health profiles: a content review', *Health Promotion International*, **24**, i56–63.
- Weich, S. and Lewis, G. (1998), 'Material standard of living, social class, and the prevalence of the common mental disorders in Great Britain', *Journal of Epidemiology and Community Health*, **52**, 8–14.
- Weich, S., Burton, E., Blanchard, M., Prince, M., Sproston, K. and Erens, B. (2001), 'Measuring the built environment: validity of a site survey instrument for use in urban settings', *Health and Place*, **7**, 283–92.
- Weich, S., Blanchard, M., Prince, M., Burton, E., Erens, B. and Sproston,

- K. (2002), 'Mental health and the built environment: cross-sectional survey of individual and contextual risk factors for depression', *British Journal of Psychiatry*, **180**, 428–33.
- Weinblatt, E., Ruberman, W., Goldberg, J.D., Frank, C.W., Shapiro, S. and Chaudhary, B.S. (1978), 'Relation of education to sudden death after myocardial infarction', *New England Journal of Medicine*, **299**, 60–65.
- Wells, N.M. and Yang, Y. (2008), 'Neighborhood design and walking: a quasi-experimental longitudinal study', *American Journal of Preventive Medicine*, **34**, 313–19.
- Welsh Local Government (2005), 'Welsh Index of Multiple Deprivation 2005: summary report', available at: <http://wales.gov.uk/topics/statistics/publications/publication-archive/wimd2005/?lang=en>.
- Wener, R.E. and Evans, G.W. (2007), 'A morning stroll: levels of physical activity in car and mass transit commuting', *Environment and Behavior*, **39**, 62–74.
- Weschler, C.J. (2004), 'Chemical reactions among indoor pollutants: what we've learned in the new millennium', *Indoor Air*, **14**, 184–94.
- Weschler, C.J. and Shields, H.C. (1996), 'Production of the hydroxyl radical in indoor air', *Environmental Science and Technology*, **30**, 3250–58.
- Weuve, J., Kang, J.H., Manson, J.E., Breteler, M.M.B., Ware, J.H. and Grodstein, F. (2004), 'Physical activity, including walking, and cognitive function in older women', *Journal of the American Medical Association*, **292**, 1454–61.
- Whillock, M., Clark, I.E., McKinlay, A.F., Todd, C.D. and Mundy, E.J. (1988), *Ultraviolet Radiation Levels Associated with the Use of Fluorescent General Lighting, UV-A and UV-B Lamps in the Workplace and Home*, Chilton, Oxfordshire: National Radiological Protection Board.
- Whitehead, M. and Dahlgren, G. (1991), 'What can be done about inequalities in health?', *Lancet*, **338**, 1059–63.
- WHO (1987), *Health Impact of Low Indoor Temperatures*, Copenhagen: World Health Organization.
- WHO (1990), *Indoor Environment: Health Aspects of Air Quality, Thermal Environment, Light and Noise*, Geneva: World Health Organization.
- WHO (2005a), *Constitution of the World Health Organization*, New York: World Health Organization, available at: <http://apps.who.int/gb/bd/PDF/bd47/EN/constitution-en.pdf>.
- WHO (2005b), *Preventing Chronic Diseases: A Vital Investment*, WHO Global Report, Geneva: World Health Organization.
- WHO (2007), *Global Age-Friendly Cities: A Guide*, Geneva: World Health Organization.
- WHO (2009), *Global Health Risks: Mortality and Burden of Disease*

- Attributable to Selected Major Risks*, Geneva: World Health Organization, available at: http://www.who.int/healthinfo/global_burden_disease/global_health_risks/en/.
- WHO Europe (2009), *Zagreb Declaration for Healthy Cities*, Copenhagen: WHO Regional Office for Europe.
- WHO Europe (2010), *Urban Planning, Environment and Health: From Evidence to Policy Action*, meeting report, Copenhagen: World Health Organization.
- Wieslander, G., Norbäck, D., Björnsson, E., Janson, C. and Boman, G. (1997), 'Asthma and the indoor environment: the significance of emission of formaldehyde and volatile organic compounds from newly painted indoor surfaces', *International Archives of Occupational and Environmental Health*, **69**, 115–24.
- Wight, R.G., Cummings, J.R., Karlamangla, A.S. and Aneshensel, C.S. (2009), 'Urban neighborhood context and change in depressive symptoms in late life', *Journals of Gerontology, Series B: Psychological Sciences and Social Sciences*, **64**, 247–51.
- Wiles, N.J., Haase, A.M., Gallacher, J., Lawlor, D.A. and Lewis, G. (2007), 'Physical activity and common mental disorder: results from the Caerphilly study', *American Journal of Epidemiology*, **165**, 946–54.
- Wilkinson, D. and Britain, G. (1998), *Poor Housing and Ill Health: A Summary of Research Evidence*, Edinburgh: Scottish Office Central Research Unit.
- Williams, R.L. (2000), 'A note on robust variance estimation for cluster-correlated data', *Biometrics*, **56**, 645–6.
- Wilson, P.W.F., D'Agostino, R.B., Levy, D., Belanger, A.M., Silbershatz, H. and Kannel, W.B. (1998), 'Prediction of coronary heart disease using risk factor categories', *Circulation*, **97**, 1837–47.
- Wilson, W.J. (1991), 'Studying inner-city social dislocations: the challenge of public agenda research', *American Sociological Review*, **56**, 1–14.
- Windham, G.C., Eaton, A. and Hopkins, B. (1999), 'Evidence for an association between environmental tobacco smoke exposure and birthweight: a meta-analysis and new data', *Paediatric and Perinatal Epidemiology*, **13**, 35–57.
- Wing, S., Casper, M., Hayes, C.G., Dargent-Molina, P., Riggan, W. and Tyroler, H.A. (1987), 'Changing association between community occupational structure and ischaemic heart disease mortality in the United States', *Lancet*, **2**, 1067–70.
- Wing, S., Barnett, E., Casper, M. and Tyroler, H.A. (1992), 'Geographic and socioeconomic variation in the onset of decline of coronary heart disease mortality in white women', *American Journal of Public Health*, **82**, 204–09.

- Winkelstein, W., Jr (1995), 'A new perspective on John Snow's communicable disease theory', *American Journal of Epidemiology*, **142**, S3–9.
- Wolch, J., Jerrett, M., Reynolds, K., McConnell, R., Chang, R., Dahmann, N., Brady, K., Gilliland, F., Su, J.G. and Berhane, K. (2011), 'Childhood obesity and proximity to urban parks and recreational resources: a longitudinal cohort study', *Health and Place*, **17**, 207–14.
- Wolkoff, P. (2000), 'Formation of strong airway irritants in terpene/ozone mixtures', *Indoor Air*, **10**, 82–91.
- Wood, L., Shannon, T., Bulsara, M., Pikora, T., McCormack, G. and Giles-Corti, B. (2008), 'The anatomy of the safe and social suburb: an exploratory study of the built environment, social capital and residents' perceptions of safety', *Health and Place*, **14**, 15–31.
- Wood, L., Frank, L.D. and Giles-Corti, B. (2010), 'Sense of community and its relationship with walking and neighborhood design', *Social Science and Medicine*, **70**, 1381–90.
- Woods, R. (2003), 'Urban–rural mortality differentials: an unresolved debate', *Population and Development Review*, **29**, 29–46.
- Woods, W.I. and Woodward, J. (eds) (1984), *Urban Disease and Mortality in Nineteenth Century England*, London: Batsford.
- Wright, F.L. (1935), 'Broadacre City: a new community plan', *Architectural Record*, **77**, 243–54.
- Wrigley, E.A. (1969), *Société et population*, Paris, Collection l'Univers des Connaissances.
- Wrigley, E.A., Davies, R.S., Oeppen, J.E. and Schofield, R.S. (1997), *English Population History from Family Reconstitution, 1580–1837*, Cambridge: Cambridge University Press.
- Wu, F., He, S. and Webster, C. (2010), 'Path dependency and the neighbourhood effect: urban poverty in impoverished neighbourhoods in Chinese cities', *Environment and Planning A*, **42**, 134.
- Yan, A.F., Voorhees, C.C., Clifton, K. and Burnier, C. (2010), "'Do you see what I see?" Correlates of multidimensional measures of neighborhood types and perceived physical activity-related neighborhood barriers and facilitators for urban youth', *Preventive Medicine*, **50**, S18–23.
- Yankauer, A. (1950), 'The relationship of fetal and infant mortality to residential segregation: an inquiry into social epidemiology', *American Sociological Review*, **15**, 644–8.
- Zahner, G., Kasl, S.V., White, M. and Will, J. (1985), 'Psychological consequences of infestation of the dwelling unit', *American Journal of Public Health*, **75**, 1303–07.
- Zamboni, M., Mazzali, G., Fantin, F., Rossi, A. and Di Francesco, V. (2008), 'Sarcopenic obesity: a new category of obesity in the elderly', *Nutrition, Metabolism and Cardiovascular Diseases*, **18**, 388–95.

- Zhang, J. and Smith, K.R. (1996), 'Hydrocarbon emissions and health risks from cookstoves in developing countries', *Journal of Exposure Analysis and Environmental Epidemiology*, **6**, 147–61.
- Zhang, J. and Smith, K.R. (2003), 'Indoor air pollution: a global health concern', *British Medical Bulletin*, **68**, 209–25.
- Zhang, J. and Smith, K.R. (2007), 'Household air pollution from coal and biomass fuels in China: measurements, health impacts, and interventions', *Environmental Health Perspectives*, **115**, 848–55.
- Zhang, J., Smith, K.R., Ma, Y., Ye, S., Jiang, F., Qi, W., Liu, P., Khalil, M.A.K., Rasmussen, R.A. and Thorneloe, S.A. (2000), 'Greenhouse gases and other airborne pollutants from household stoves in China: a database for emission factors', *Atmospheric Environment*, **34**, 4537–49.
- Zhao, H., Li, L. and Zhu, H. (2007), 'Application of extended space syntax in urban land grading', *Journal of Geomatics*, **32**, 9–11.
- Zhao, Y., Zhang, S., Selvin, S. and Spear, R.C. (1991), 'A dose response relation for noise induced hypertension', *British Journal of Industrial Medicine*, **48**, 179–84.
- Zigmond, A.S. and Snaith, R.P. (1983), 'The Hospital Anxiety and Depression Scale', *Acta Psychiatrica Scandinavica*, **67**, 361–70.
- Zimring, C. (1983), 'The built environment as a source of psychological stress: impacts of buildings and cities on satisfaction and behavior', in G.W. Evans (ed.), *Environmental Stress*, Cambridge: Cambridge University Press.
- Ziraba, A.K., Fotso, J.C. and Ochako, R. (2009), 'Overweight and obesity in urban Africa: a problem of the rich or the poor?', *BMC Public Health*, **9**, 465.
- Zlunick, S. and Altman, I. (1972), 'Crowding and human behaviour', in J.F. Wohlwill and D.H. Carson (eds), *Environment and the Social Sciences: Perspectives and Applications*, Washington, DC: American Psychological Association.
- Zock, J.P., Plana, E., Jarvis, D., Antó, J.M., Kromhout, H., Kennedy, S.M., Künzli, N., Villani, S., Olivieri, M., Torén, K., Radon, K., Sunyer, J., Dahlman-Hoglund, A., Norbäck, D. and Kogevinas, M. (2007), 'The use of household cleaning sprays and adult asthma: an international longitudinal study', *American Journal of Respiratory and Critical Care Medicine*, **176**, 735–41.