

Index

- action spaces 301
- acute respiratory infections (ARIs) 66
- Adickes, Franz 20
- ageing 12, 29, 278, 296
 - of pulmonary tissue 71
- agglomeration economies 126–7
- aggressive behaviour 60
- Akaike information criterion 252
- Albania 70
- anthrax 15
- anxiety 49, 60, 74, 305–6
 - in elderly population 324
 - sources of 78
 - symptoms of 304
 - work-related 54
- ArcGIS 212
 - Network Analyst 218
 - Spatial Analyst 244
- asbestos
 - use of 70–71
- asthma 60, 63, 65–6, 68–9
 - aggravation of 71
 - chronic 54
- Atherosclerosis Risk in Communities (ARIC) Study 110
- atomistic/individualistic fallacy 86–7
- attention deficit disorder 60
- Australia 1, 117
 - Adelaide 106, 118
 - Perth 102
 - Queensland 104
 - South Wales 8, 123
- Australian Bureau of Statistics 121
- bacteriology 16
- Bay Area Travel Survey (BATS) (1990–91) 92
- Bayesian information criterion (BIC) 252
- Behavioural Risk Factor Surveillance System 110
- Belgian Environmental Physical Activity Study (BEPAS) 122
- Belgium 60, 117
 - Brussels 104
 - Ghent 118
- benefits 4–7
 - locational 55
- betweenness 259–60
 - measurement of 228–30, 271
 - route 299
- biomedicine 49
- biophysical reductionism 30
- birth rates 22
 - decline in 24
- Booth, Charles 2, 20–21
- Buckingham, James 18
- built environment (BE) 3, 8, 10, 47–8, 93–4, 98, 123–6, 214, 285, 303, 334, 339
 - epidemiology of 43, 56
 - impact on physical health 279–80
 - miasma of 36
 - micro-scale variable 92
 - morphometrics 9, 282–3, 289, 297
 - retail floor area ratio (FAR) 103
 - topography 283–4
 - urban 90
- Built Environment Assessment Tool (BEAT) 123
- Built Environment Site Survey Checklist (BESSC) 123
- Cadbury brothers 18
- Caerphilly Prospective Study (CaPS) 212–13, 239, 257, 270–71, 275, 280–81, 303–4, 306–7, 330–32
 - Phase III 284
 - Phase V 272
 - respondents of 285
 - selective migration in 296
- Cambridge University 8

- Canada
 - Calgary 76
 - Edmonton 76
 - Toronto 99
 - Vancouver 99
- Canadian Community Health Survey 193, 277–8
- Canadian Overcrowding Index 64
- cancer
 - leukaemia 69
- capital
 - social 322
- carbon dioxide (CO₂) 65
 - sequestration 104
- carbon monoxide (CO) 66
- carcinogens 68
 - Radon 69–70
- Cardiff University 8
 - School of Planning and Geography 235
- census collection districts (CCDs) 121
 - commercial/industrial 103
 - high-walkability 122
 - low-walkability 122
 - recreational 102–3
 - residential 102
- Centers for Disease Control and Prevention (CDC)
 - active community environments (ACEs) 38
- Chadwick, Edwin 14
- Chartered Institution of Building Services Engineers 72
- children 5, 21, 45, 71, 73–4, 76–7, 105
 - adolescents 77, 79, 100, 103, 107, 110, 113–14, 277
 - cognitive development of 74–5
 - health problems faced by 63, 65, 68–9
 - impact of noise on 74
 - impact of overcrowding on 27, 82–3
 - mental health of 81
 - overweight 278
 - pre-school 83
- Chile
 - Santiago 123
- China 2–3
 - GDP per capita 327
 - Hong Kong 76
- cholera 14–15
- chronic obstructive pulmonary disease (COPD) 66
- city planning 2, 8–10, 14, 39, 223
 - healthy 19, 48–9, 338
- coalesced niche 46
- Colombia
 - Bogotá 106
- complex adaptive systems (CAS)
 - models 58
- contextual health variations
 - accessibility to health-promoting community resources 211–12
- cylinders of integrated planning 48–9
- Cyprus 70
- Czech Republic 70
- deficiency disease 21
- Demoralization Index of the Psychiatric Epidemiological Research Instrument (PERI) 79–80
- Denmark 117
 - Copenhagen 104
- differentials 32, 88, 337
 - accessibility 303, 324, 333
 - mortality 86
 - population-level health 33
- diphtheria 15
- disability-adjusted life-years (DALYs) 66
 - impact of obesity on 277
- diseases 11, 15, 32
 - cardiac 27
 - cardiovascular 27, 60, 62
 - causation 30–31, 33
 - chronic 11, 27, 40, 55–6, 329
 - communicable 13
 - contagious 15
 - crowd 22
 - infectious 11, 16, 329
 - non-pathogenic 16
 - pulmonary 60
 - respiratory 27, 66
- dissimilarity index 95, 99, 101
- Doll, Richard 27
- Eberstadt, Rudolf 20
- eco-epidemiologic paradigm 34–5
- eco-social epidemiologic theory 34

- ecological fallacy 86–7
 ecological niche 42
 economic development 3
 employment 18, 22–3
 residential 59
 entropy index 99
 environmental cognition 210
 environmental quality 23
 environmental tobacco smoke (ETS)
 66, 68, 70
 epidemiology 10, 26–7, 34, 36, 41, 49,
 59, 89, 328, 334, 337
 chronic disease 27
 gene–behaviour–environment 30–31
 molecular 30–31
 natural environment 43, 56
 risk factor 29–31
 social 32, 41, 56
 Estonia 70
 Europe 1, 12–14, 17, 70, 117, 298
 public transit systems of 115–16
 seasonal mortality in 62
 European Community Household
 Panel 60
- Farr, William 14
 Finland 70
 France 19, 60
 Frost, Wade Hampton 22, 32
 Funk, Casimir 21
- General Health Questionnaire
 (GHQ-30) 79, 213, 257, 260–61,
 272, 274, 323, 331–2
 scores of 262–3
 genome-wide association studies
 (GWAS) 335
 germ theory 15–16, 328
 specific-cause 29
 Germany 76
 Berlin 20
 Frankfurt am Main 20
 Hamburg 20
 Munich 20
 Nuremberg 20
 Stuttgart 20
 Goldberger, Joseph 21, 32
 graph theory 90, 222–3, 259
 Graunt, John 2
 Greenwood, Major 22, 32
- Hanson, Julienne 222
 health care 3, 126, 278, 326, 328
 facilities 4, 7, 55, 95, 102, 212, 218,
 220, 282, 299, 305
 primary 7
 services 4, 338
 supply of 6
 systems 127
 health costs 2, 5–7, 116
 annual 277
 direct 36
 indirect 36
 health niche 42, 45, 53
 healthy city model 62
 meso-environmental factors of 54
 neighbourhood-level 46
 health outcomes 3, 8, 56, 98
 impact of natural environment on
 244
 individual 127
 mental 257
 health planning 41, 48–9
 holistic 45, 276
 public 9, 12, 56, 276
 health promoting 9, 19, 36, 55, 90, 102,
 211–12, 234, 256, 276, 279, 301–3,
 325, 331
 benefits 109
 capital 37, 272, 274, 324, 333
 collective 49
 physical activity 117
 services 57
 healthy city model 47–9, 53, 57–8
 health niche-based 62
 heart disease 29, 212, 297
 cardiac 98
 coronary (CHD) 29, 32–3, 43, 63,
 74, 85, 88, 110
 ischaemic (IHD) 68, 86
 rheumatic 27
 Henle, Jacob 15
 Pathologische Untersuchungen (1840)
 15
 Herfindahl–Hirschman Index (HHI)
 95, 99
 uses of 101
 Hill, Bradford 27
 Hillier, Bill 210–11, 222, 283
 Hospital Anxiety and Depression Scale
 (HADS) 213, 304, 323

- anxiety (HADS-A) component item 304, 307, 315, 321–3
- depression (HADS-D) component item 304, 307, 315, 321, 323
- household–neighbourhood–city (HNC) system 48
- housing units (residential) 59–60, 75–7, 79, 84
 - air quality 65–6, 68–71
 - damp 63, 76
 - lighting 72
 - multi-family 77
 - multi-storeyed 76
 - multi-unit 76
 - noise 73–5
 - overcrowding 64, 81–3
 - owner-occupied 78
 - pests 64–5
 - sub-standard 64–5
 - temperature 62–3
- Howard, Ebenezer
 - Tomorrow: A Peaceful Path to Social Reform* 18
- human immunodeficiency virus (HIV) 34
- Hungary 70
- hydrogen chloride (HCI) 71–2
- hypertension 2, 33, 71
- illuminating Engineering Society 72
- Imperial Germany (Prussia) 13
- India 2, 54
 - Mumbai 5
 - Surat 5
- industrial 19–20, 23, 55, 103, 273, 275, 328
 - degradation 18
 - economy 14
 - land uses 20
- industrialization 13, 16, 328
 - deindustrialization 26
- information entropy 96–7
- insomnia 73
- Integrated Transport Network (ITN) 9
- intrinsic health niche 42, 53
- Koch, Robert 15
- labour 7, 18, 21, 328
 - costs 3, 6
 - division of 3
 - human 17
 - Lancet Commission 39
 - land use mix (LUM) 95, 97, 214, 218, 259, 261–2, 285, 298, 304, 321, 332
 - commercial/industrial 103
 - density 218, 221
 - developments 95–6
 - enhanced 96
 - horizontal mixing 98
 - morphometrics 282
 - relationship with physical health 98, 101
 - vertical mixing 98
 - Le Corbusier 19
 - learned helplessness 74
 - leprosy 15
 - Lever brothers 19
 - life expectancy 13, 117
 - improvement in 27
 - low socio-economic status (SES) 125
 - population 94
 - lower super output area (LSOA) 111, 244, 262, 270, 289, 297, 332–3
 - affluent 315
 - census-defined 260, 281, 284
 - definitions of 245
 - deprivation 305, 315
 - education deprivation in 275
 - lung cancer 27, 29, 60
 - causes of 68–70
 - deaths 70
 - Luxembourg 70
 - Macintyre, Sally
 - black box of contextual determinants of health 90
 - malnutrition 21
 - in infants 11
 - Markov Chain Monte Carlo (MCMC) simulation 306
 - McCollum, E.V. 21
 - McKeown, Thomas 27
 - Mellanby, E. 21
 - mental health 7, 27, 80, 89, 107, 123, 253, 255–7, 259, 262, 270–71, 275–6, 278, 322, 324–5, 330, 338
 - association with inadequate housing conditions 60
 - safe environment 120

- metabolic syndrome (METS)
 - relationship with neighbourhood environment 110–11
- miasma 13–14, 90
 - social 89
- migrants 5
- migration effects 47–8
- Mitchell, Robert E. 76
- mixed residential zones 5
- morbidity 13–14, 76, 86, 278, 298
 - aggregated 85
 - increased rates of 62
 - psychiatric 89
 - vascular 285
- Morris, Jeremy 27
- mortality 2, 12–14, 33, 63, 80, 87–9, 106, 328
 - aggregated 85
 - all-cause 86, 88, 106
 - cancer 88
 - cardiovascular 88
 - child 27
 - coronary 86
 - infant 86
 - obesity 278
 - premature 85
 - seasonal 62
- National Civic League
 - Healthy Communities Initiative 38
- National Health and Nutrition Examination Survey (NHANES) I 88
- National Household Travel Survey (NHTS) 116
- National Personal Transportation (1995)
 - findings of 84
- natural environment 48, 260
 - epidemiology of 43, 56
 - impact on health outcomes 244
 - recreational value of 108–9
- neighbourhood 303, 330
 - aesthetic factors 119
 - community organization domain 302
 - crime 119–21
 - definitions of 92–4
 - economic domain 302
 - green spaces 104–7, 220
 - institutional domain 302
 - local food environments 109–11
 - local sociability domain 302
 - opportunity space 302
 - physical activity (PA)/recreational facility access 107–9, 220, 299
 - public transit networks 115–17
 - retail 102–3
 - satisfaction 100
 - sense of community (SofC) 99
- Neighbourhood Environment Walkability Scale (NEWS) 121
- neighbourhood walkability 91–2, 99, 114, 120–22, 254, 256, 276, 280, 296
 - physical activity 110–11, 116–18
 - relationship with bicycle use 118
- Netherlands 70, 117
- New Zealand 1
- Nigeria
 - Lagos 5
- nitric acid (HNO₃) 71–2
- nitrogen dioxide (NO₂) 66
- nitrous acid (NHO₂) 71
- Normalized Difference Vegetation Index (NDVI) 105, 244, 260, 262, 265, 271
 - decline in significance 270
 - satellite-derived 331
- noise-induced hearing loss (NIHL) 73
- obesity 2, 27, 99, 117–18, 278, 280–81
 - body mass index (BMI) 99–101, 107–8, 110–14, 116, 120, 277, 280–81, 283–5, 289, 296, 298–300, 332–3
 - impact of urban form on 100–101, 279
 - impact on DALYs 277
 - increase in 277
 - increase in LUM 98
 - moderate to vigorous physical activity (MVPA) 107–8, 115
 - relation to proximity of green space 105–6
 - relation to proximity of public transit networks 117
 - risk factor 297
 - sarcopenic obesity 278
- occupational health hazards 46, 54
- ozone (O₃) 71–2

- Parker, Barry 19
- Pasteur, Louis 15
- pellagra 22
- social epidemiology of 21
- peptic ulcer 27–8, 34
- Perry, Clarence
- New York Regional Plan 19
- Petty, William 2
- Philippines
- Metro Manila 5
- physical activity 36, 38, 45, 62, 77, 91, 93–5, 100–101, 103–5, 108, 115, 117, 119–22, 223, 253, 256, 259–60, 271–3, 277–80, 297–9, 302–3, 323, 325, 330, 335
- behaviour 90, 102, 111, 118, 321
 - daily 116
 - facilities 93, 107, 109, 111, 218, 282, 305
 - moderate to vigorous (MVPA) 107, 110, 114
 - outcomes 99, 112, 322
 - promotion of 106, 296
 - role in countering obesity 278
- Physical Activity in Localities and Community Environments (PLACE) (2007) 121
- physiological health
- measurement of 49
- pollution 2, 13, 16, 19, 26, 54–5, 77, 104, 115, 127, 260, 279, 328
- airborne 7, 66, 68, 330
 - indoor 54, 60, 65–6, 68, 330
 - noise 43, 54, 74, 119, 273
 - traffic-related 20, 102, 274, 329
- population-level 30, 33–4, 46, 328
- health differentials 33
 - processes 337
 - socio-economic factors 33, 84, 89
- poverty 2, 14, 18, 87–8, 127
- causes of 21
 - definitions of 54
 - fuel 60, 62
 - income 46
 - service 46
 - urban 21
- psychiatric disorders 49, 272
- support for 49
- psychological health/disorders 255–8, 265, 272, 274
- depression 49, 60, 72–4, 77–8, 80–81, 99, 102–3, 123, 252, 255–6, 272–3, 303, 305
 - geriatric 276
 - relationship with higher regional-level street movement 274
 - relationship with proximity to green space 274–5
- public health 1, 6, 11–12, 15–16, 18, 20, 23–4, 26–7, 35–6, 49, 253, 326–8
- infrastructure resources for 301
 - long-term 297
 - planning 57
- public health organizations 7
- public housing
- single-family 18
 - social value of 14
- public welfare 25–6
- Puget Sound Transportation Panel 91–2, 97
- quality of life 5, 11, 75, 104, 121, 255, 328
- intervention 23
- real estate 5
- markets 26
 - value 223
- regional cities 23
- Reid, Donald 27
- Republic of Ireland 60
- Residential Environment Assessment Tool (REAT) 123
- respiratory tract infection 60, 62, 68
- risk factors 27, 30, 32–4, 41, 45, 56–8, 66, 84, 88
- cardiovascular 54, 110, 116
 - environmental 335
 - epidemiology of 29, 31
 - individual-level 35, 86, 257, 275, 297
 - multiple 27
 - obesity 297
 - population-level 46
 - proximate 34, 43
 - single 27
 - vascular 281–2
- Russian Federation 70
- Schelling, Thomas
- tipping model of urban social mix 46

- seasonal affected disorder (SAD) 72–3
 summer 72
 winter 72
- Second World War (1939–45) 23, 26, 329
- semi-volatile organic compounds (SVOCs) 66
 concept of 68–9
- sick building syndrome 62, 71
- single-occupant vehicles (SOVs) 91, 97
- Slovakia
 Bratislava 104
- slum 2–3, 18, 59
 clearance 327–8
 rehabilitation 24
- smallpox 15
- Snow, John 14
On Continuous Molecular Changes, More Particular in Their Relation to Epidemic Diseases (1853) 15
- social
 deprivation 85
 hygiene 20
 medicine 14, 20
- social environment
 psychosocial factors 32
- social health 49
- social networks 55, 76, 100, 119
- South Africa 81
- South Korea
 Seoul 5
- space syntax 222, 227, 232, 259, 273, 300
 angular segment analysis (ASA) 223–5, 227–9
 dwelling-level morphometrics 246–7, 252
 integration 229
 measurement of syntactic accessibility 222–3
 path overlap index 230
 pull effects 230
 route choice 230
 spatial Design Network Analysis (sDNA) 235, 237, 239, 244, 253
- Spain
 Malaga 83
- spatial Design Network Analysis for Urban Health (sDNA-UH) 212, 214, 254, 257–9, 282, 304, 327, 330, 332, 334, 339
 use of OSM ITN 322
- spatial planning 57
- Sport England 38
- Stein, Clarence 19
- street networks 19–20, 210, 237
 accessibility 220–11, 274, 282–3
 configuration of 212
 connectivity 112, 114–15
 distance 218, 225, 227, 304–5
 morphology 111–12
 network effects 225
- subsidized public sector housing 80–81
 involuntary relocation 81
- suburban villages 23–4
- Sweden 70, 108
- Sydenstricker, Edgar 21, 32
- taxation 6
 local 24
- temporal dynamism 9, 40, 329
- Thailand
 Bangkok 82
- town planning 11, 19, 35, 328
- traffic 17, 19–20, 117, 123, 259–60, 274, 276, 279, 283, 299, 323, 329
 analysis zones (TAZs) 100
 flows 55, 235
 noise 73–5, 119
 pollution 102, 119
 safety 121, 273
 speed limits 80, 118
 volume 77, 280
- tuberculosis 11, 13, 15, 64, 66
- typhoid 15
- UK Biobank 57, 336, 338–9
 cohort members 327
- UK Economic and Social Research Council 57
- UK Office of National Statistics 245
- UK Ordnance Survey MasterMap (OSM) 214, 335
 Address Layer 2 213–14, 218, 239
 data layers 8, 213, 331

- Integrated Transport Network (ITN)
 - Layer 213–14, 232, 235, 239, 259, 283, 305, 322, 331
 - Topography Layer 213, 218, 239
- UK Ordnance Survey road centreline map 232
- Ukraine
 - Kiev 104
- unemployment 18, 88
 - benefits 275
- United Kingdom (UK) 1, 5, 18, 22–3, 27, 57, 60, 62, 70, 84, 89, 118, 328
 - Birmingham 18
 - Bourneville 18
 - British Household Panel Survey 79
 - Caerphilly 212–14, 232, 234, 246, 257, 259–60, 272–3, 297–9, 303–4, 306–7, 322, 330
 - Cardiff 322
 - District health authorities (DHAs) 86
 - English Births and Deaths Registration Act (1836) 14
 - Glasgow 24, 79, 104, 113, 300
 - Great Smog (1952) 17
 - Letchworth 19
 - Liverpool 24
 - London 2, 6, 14, 16–17, 19, 21, 24, 81, 123, 222
 - Manchester 14, 24
 - Ministry of Town and Country Planning 36
 - Municipal Corporations Act (1835) 14
 - National Health Service (NHS) 6, 277
 - New Towns Act (1946) 23
 - Office of Population Censuses and Surveys (OPCS) 85
 - Poor Law Amendment Act (1834) 14
 - Port Sunlight 19
 - Reform Bill (1832) 14
 - Registrar General's Office 2, 14, 21, 262, 281, 305
 - Welwyn Garden City 19
- United Nations (UN)
 - Human Settlement Programme (UN-Habitat) 59
 - Scientific Committee on the Effects of Atomic Radiation 70
- United States of America (USA) 1, 14, 18, 25–6, 29, 112, 114
 - Atlanta 101
 - Baltimore 121
 - Census Bureau 92
 - Chicago 17
 - Department of Health and Human Services 38
 - Detroit 17
 - Environmental Protection Agency (USEPA) 69–70
 - Los Angeles 20
 - New York 17, 19–20, 80, 100–101, 111, 116
 - Philadelphia 17
 - Salt Lake City 116
 - San Francisco Bay Area 91, 95
 - Seattle 121
 - St Louis 17
 - state economic area (SEAs) 86
 - Washington, DC 121
- University College London
 - faculty of 222
- University of Hong Kong 8
- University of Liverpool
 - Department of Civic Design 16
- University of Miami Built Environment Coding System (UMBECS) 123–4
- Unwin, Raymond 19
- urban
 - costs 3
 - decay 75
 - development 2–3
 - expansion 11, 16–17
 - growth 3, 32
 - individual 39
 - morphology 8, 57, 222, 326
 - morphometrics 3, 8–9
 - penalty 13
 - population 13, 59
 - sprawl 95, 122
 - transportation 59
- UrbanBuzz
 - i-VALUL 232
- urban health niche paradigm 39, 43, 45, 48, 56–7, 211, 326, 329, 336
 - coalesced 46–7, 337
 - holistic 334–5
 - individual 46–7

- urban health systems 41–2
- urban hierarchy cone 48
- urban places 302
- urban planning 1, 3, 6–8, 12, 16, 35, 38, 41, 49, 56–7, 276, 337–8
 - density 93–5, 97, 259
 - health-related 42
 - relationship with public health initiatives 300
 - research 36
- urban space 259
 - axial map 223, 227
 - configured 210
 - continuous 210, 283
 - convex space 211, 283, 302
 - districts 210
 - linear space 210–11
 - linear subspace 302
- urban theory 49
- urbanization 2, 6, 9, 11, 13, 16–17, 24–6, 40, 302, 328
 - multi-scale 221
 - suburbanization 18, 26
- variance inflation factors (VIFs) 252, 306
- vitamin 21
- volatile organic compounds (VOCs) 66
 - concept of 68–9
- Walkable and Bikeable Communities Project 122–3
- wealth 3, 5, 55
 - inequality in 18
- well-being 11, 49, 35–6, 49, 62, 78
 - emotional 72
 - mental 12, 256
 - psychological 72, 81–2, 255, 273
 - social 12
- Welsh Index of Multiple Deprivation (WIMD) 244, 260, 273, 305–6, 321, 323
 - structure of 245–6
- Working Group on Health Inequalities Black Report (1980) 84
- World Health Organization (WHO) 11–12, 49, 66, 255
 - European Healthy Cities Network (WHO-EHCN) 37, 104
 - European Healthy Cities Project 37–8
 - Regional Office for Europe 37
 - Zagreb Declaration 37
- Wright, Frank Lloyd
 - Broadacre City* 17